

KÄRCHER

makes a difference



AIR MAKES THE DIFFERENCE.

Shorter drying times after carpet cleaning or water damage.

AB 84 AIR BLOWER



Dry within minutes.

The powerful AB 84 air blower moves up to 3,000 cfm of air cutting drying times by up to 50%! The ideal solution for use in the building trade and for water damaged areas.



1 Built to last

- Wheels and push handle make this air blower easy to transport.
- Sturdy, four-point motor mount.
- Three standing positions.



2 Shorter drying times

- The AB 84 air blower shortens the drying time of spray-extracted or shampooed carpets by up to 50%.
- Built in carpet clip for use with flood restoration.
- For use with everything from emergency air removal from buildings to inflatable play grounds.



3 3-speed control for a variety of applications

- Stage 1: 1978 cfm
- Stage 2: 2472 cfm
- Stage 3: 2966 cfm



4 Perfect for contract cleaners, hotels, construction industry and flood damage restoration specialists

Technical data and equipment.

AB 84 CUL

Technical data

Air flow rate (levels 1/2/3)		56 m ³ /min / 70 m ³ /min / 84 m ³ /min
Fan speed (levels 1/2/3)		1050 rpm / 1350 rpm / 1600 rpm
Cable length		25" (7.62 m)
Max. intake		700 W
Weight	lbs	39 lbs (17.6 kg)
Dimensions (L x W x H)	inches	22.8" x 16" x 10.4" (580 mm x 410 mm x 264 mm)

Equipment

Product	Order No.	Description
AB 84 CUL	1.004-053.0	3-speed commercial air blower



1150 Davis Road, Suite J • Elgin, IL 60123

(800) 788-8867 • info@lorchem.com • www.lorchem.com

We Know How To Get Things **CLEAN**