

# KÄRCHER

makes a difference



## EFFICIENCY AT THE PUSH OF A BUTTON.


The HDS compact class with eco!efficiency mode.

# HDS COMPACT CLASS



## It's all in the detail.

Kärcher's German-built electric hot water machines are the most advanced on the market, featuring Kärcher's patented axial pump integrated with a 2-pole motor for optimum efficiency. Kärcher's efficient and compact downdraft-fired burner uses far less fuel than standard heat exchangers. Units come standard with low-fuel shut-off, low-water protection, high-temperature shut-off, thermal overload protection, soft-grip gun, and 50' hose. All units are ETL certified to UL and CSA standards.



### 1 Efficiency

- eco!efficiency mode – economical and environmentally friendly, even during longer periods of use.
- Reduces fuel consumption and CO<sub>2</sub> emissions by 20%.
- Accurate cleaning agent dosing unit with clear rinse function.

### 2 Ease of use and Mobility

- Intuitive operation with large single-button selector switch.
- Easy fillable tanks for fuel and detergent.
- New push bar handle for easier maneuverability and control.
- Robust wheels and steering mechanism for maneuverability.
- Large integrated handles in the chassis.
- Integrated tilting aid for effortlessly negotiating obstacles such as steps and curbs.

### 3 Storage

- Lockable accessory compartment for nozzles, tools, etc.
- Integrated power cord and spray lance holder.

### 4 EASY!Force Trigger Gun

- EASY!Force technology holds the trigger down once you start it, avoiding the strain on your hands associated with other trigger guns.

# Technical data and equipment

## Technical data

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs.)	Ship Dimensions (L x W x H) inches
HDS 2.3/12 C Ed	1.272-901.0	2.3	1100	Direct	2.8	110-120V/1ph	18.5	Kärcher Axial	270	40 x 28 x 41
HDS 3.0/20 C Ea	1.170-903.0	1.3-2.9	460-2000	Direct	5.6	220-240V/1ph	18.5	Kärcher Axial	285	40 x 28 x 41

## Standard Accessories

Order No.	Description
4.118-005.0	EASY!Force trigger gun
4.112-000.0	41" spray lance
6.110-030.0	High pressure hose, 15m (50'), both sides EASY!Lock, ID 8
4.117-037.0	Triple jet nozzle, 050 (for machine 1.272-901.0)
2.113-007.0	Power nozzle, 042 (for machine 1.170-903.0)

## Optional Accessories

Order No.	Description
4.111-041.0	Adapter for EASY!Force trigger gun connection to 3/8" hose

For more information:



1150 Davis Road, Suite J ▪ Elgin, IL 60123  
(800) 788-8867 ▪ [info@lorchem.com](mailto:info@lorchem.com) ▪ [lorchem.com](http://lorchem.com)

*We Know How To Get Things* **CLEAN**