

KÄRCHER

makes a difference



PROVIDING SUPPLEMENTAL HEAT.

Electric-powered hot water heating module.

LIBERTY HDS HEATER



Hot water heater.

For attaching to a cold water pressure washer

Our Kärcher Series water heater provides supplemental heat to cold water machines, giving users the benefits of hot water cleaning when it's needed. An electric-powered diesel heated unit, the Heater 5.0/30 Ed effectively heats water at a rate of up to 5 gallons per minute.



1 Powerful and durable

- Durable and insulated heating coil made of 1/2-inch steel tubing and cold rolled for years of leak-free operation.
- High-efficiency burner with transformer for years of reliable and affordable operation; produces 380,000 BTU.
- Rust-free, 4.5 gallon polyethylene fuel tank for diesel or heating oil.
- Rugged 1 1/4-inch steel tube frame and ventilated metal cabinet with epoxy, powder coat finish for all-weather protection.
- Durable, wire braid hose rated for 4500 PSI and with quick coupler allows for tangle-free connection to cold water pressure washer.

2 Smart features

- Water resistant control box with adjustable thermostat and extra safe on/off rocker switch for the burner.
- Corrosion-free steel fittings.
- 36 ft. electrical cord with ground fault circuit interrupter for operator safety.

3 Outstanding mobility

- Easy-grip handles and hand truck design make for easy maneuvering.
- 10" tubed pneumatic tires for easy handling on all terrains or surfaces.

Technical data and equipment.

Technical Data

Model	Part No.	GPM	PSI	Electrical	Amps	Heated by	Weight (lbs.)	Dimensions (L x W x H) inches
Heater 5.0/30 Ed	1.575-650.0	to 5	up to 3000	120V / 1ph	5	Diesel	330	29 x 41 x 47

For more information:



1150 Davis Road, Suite J ▪ Elgin, IL 60123
(800) 788-8867 ▪ info@lorchem.com ▪ lorchem.com

We Know How To Get Things **CLEAN**