KÄRCHER

makes a difference

2017 Catalog

Lorchem Technologies, Inc.
1150 Davis Road, Suite J • Elgin, IL 60123
(800) 788-8867 • info@lorchem.com • www.lorchem.com
We Know How To Get Things CLEAN

Professional | Floor Care



Kärcher Cleans the World, Mt. Rushmore, South Dakota

You make a difference, we help you be more effective.

Maintaining a clean facility creates a healthy environment for employees and guests by removing contaminants, dirt, grime and germs. The positive benefits of cleaning pays for itself many times over by reducing sick days, extending the life of flooring, improving patrons impression of your organization and by increasing the value of your facility. Your hard work is critical to the bottom line of every organization.

Partnering with the right people is the key to your success. At Kärcher our goal is to dramatically help you improve your cleaning effectiveness and productivity so you can get more done with the same size staff. As the world's largest cleaning equipment manufacturer we offer a complete line of state of the art, innovative, award winning machinery that is second to none. Contact your local rep to learn more about Kärcher and how we can help you make a difference.

TABLE OF CONTENTS

EQUIPMENT IDENTIFICATION

How to identify Kärcher equipment by name 4

BURNISHERS

BDP 51/1500 C 5

BDP 51/2000 C 6

EXTRACTORS

COMPACT

Puzzi 8/1 C 7

Puzzi 10/1 8

BRC 30/15 C 9

WALK-BEHIND

BRC 46/38 C 10

BRC 46/76 W 11

BOX & WAND

Puzzi 30/4 12

Puzzi 50/35 C & Puzzi 50/14 E 13

Puzzi 64/35 E 14

ACCESSORIES

Extractor Accessories 15

FLOOR MACHINES

BRS 40/1000 C 16

BDS 43/175 C, BDS 51/175 C & BDS 51/175-300 C 17

BDS 43/DUO C 18

SCRUBBERS

COMPACT

B 60/10 ECO AutoMop 19

BD 30/4 C Bp 20

BR 30/4 C 21

BR 35/12 C BP 22

BD 38/12 C Bp 23

BR 40/10 C Adv 24

WALK-BEHIND

BD 43/25 C Bp 25

BR 45/22 C Bp 26

B 40 C/W BP 27

BD 50/50 C Classic BP 30

B 60 W BP 31

B 80 W Bp 32

RIDE-ON

BD 50/70 R Bp 33

B 90 R ADV BP 34

CLEANING HEADS & BRUSHES

Cleaning Heads & Brushes 35

SWEEPERS

COMPACT

EB 30/1 38

WALK-BEHIND

KM 70/20 C 39

KM 70/30 C Bp Adv 40

KM 75/40 W Bp 41

RIDE-ON

KM 90/60 R BP ADV 42

VACUUMS

UPRIGHT

CVU HEPA 43

CV 300 & CV 380 44

WET/DRY

NT 35/1 TACT 45

NT 45/1 TACT 46

NT 48/1 47

NT 65/2 48

NT 68/1 49

CANISTER

T 12/1 50

BACKPACK

BV 11/1 51

CARTVAC

ECO! T11 Bp CartVac 52

ACCESSORIES

Vacuum Accessories 53

AIR BLOWERS

AB 84 CUL 54

DETERGENTS

Detergents 55

SPECIALTY

BR 47/35 Escalator Cleaner 56

PS 4/7 Bp Mister & Vital Oxide® Hospital Disinfectant 57

SG Bp Gum Removers 58

STEAM CLEANERS

SG 4/4 59

SGV 6/5 60

SERVICES

Kärcher Fleet 61

NOTES 62

FAST FACTS 66

HOW TO IDENTIFY KÄRCHER EQUIPMENT BY NAME

It's easier than you think.

All Kärcher branded machines are named systematically so that every machine name explains what the product is. For example the name of a backpack vacuum would start with "BV". Not all names translate as directly, for example all sweeper's names start with "KM". The numbers in the name refer to the width of the cleaning path, machine's holding capacity and/or motor speed. Any additional information following the numbers explains some of the additional benefits of the machine, for example "Bp" means battery powered. Use the tables below to help you identify the details of your Kärcher machine.

Machine type	Cleaning path/ capacity/rpm	Options/ features
BRC	**30/15**	**C**
Self contained extractor	30 cm width/ 15 liter tank capacity	compact size

CVU 30/1 HEPA

CVU = upright vacuum
30 = 30 mm/12 in width of cleaning path
1 = number of motors
HEPA = HEPA level air filtration

KM 90/60 R Bp

KM = sweeper
90 = sweeping path in cm
60 = combined hopper size
R = ride-on
Bp = battery powered

B 60 W Bp

B = scrubber
60 = 60 liter/15.85 gallon tank volume
W = walk-behind model with traction drive
Bp = battery-powered model

MACHINE TYPE

Code	Features or attributes
AB	Air blower
AP	All purpose multi-surface cleaner
B	Scrubber
BD	Scrubber with disc brushes
BDP	Burnisher
BDS	Floor machine
BR	Scrubber with cylindrical brushes
BRC	Self contained extractor
BV	Backpack vacuum
CV	Upright vacuum
CVU	Upright vacuum
EB	Compact sweeper
KM	Sweeper
NT	Wet/dry vacuum
PS	Portable sprayer
Puzzi	Spotter or box & wand extractor
SG	Gum remover
SGV	Steamer
T	Canister vacuum

CAPACITY

Liters	Gallons
4	1
10	2.64
12	3.17
25	6.6
40	10.6
50	13.21
60	15.85
70	18.49
80	21.13
90	23.78
120	31.7
150	39.63
250	66.04

CLEANING PATH

CM	Inches
30	12
35	14
38	15
40	16
43	17
45	18
51	20
55	22
65	26
71	28
75	30
90	36
100	40
120	47

OPTIONS/FEATURES

Code	Options
Bp	Battery powered
C	Scrubbers = pad assist, extractors = compact
D	Disc brush
HEPA	HEPA level air filtration
LPG	Liquid propane gas
R	Cylindrical brush
R	Ride-on machine
S	Orbital
W	Scrubbers = traction drive, extractors = walk-behind

BDP 51/1500 C

Make your floors shine brilliantly.

The BDP 51/1500 C is an efficient burnisher that restore your hard floors. They both have easy-to-use adjustable handle and a non-marking bumper to protect your machine and facility. We included features such as a mechanical interlock to prevent accidental starts for safety. The built in circuit breaker protects the motor for long life and durability.

Built for everyday use

- Rugged cast aluminum base and switch housing with non-marking bumper to protect the machine and facility.

Self-protection

- Mechanical safety interlock prevents accidental start-ups

Practical features

- Easy to use fully adjustable handle height system.
- Large 5-inch non-marking wheels for easy transport.

TECHNICAL SPECIFICATIONS		BDP 51/1500 C
Productivity (practical)	**ft²/hr**	9,091
Pad speed	**rpm**	1500
Pad size	**in**	20
Motor	**hp**	1.75, single speed, permanent magnet DC motor
Electrical system		115V 60 Hz, built-in circuit breaker and fuse
Power cord	**ft**	75
Weight	**lbs**	112
Dimensions (L x W x H)	**in**	31 x 21.5 x 48
Wheels	**in**	5 x 1.25, non-marking (four each)
Hand tube cold rolled steel	**in**	1.5

EQUIPMENT

Order No.	Description
9.840-470.0	BDP 51/1500 C, 20 inch burnisher

ACCESSORIES

	Order No.	Description
■	8.622-247.0	Pad, Driver, 20 inch Burnisher
■	8.600-139.0	Replacement Dust Filter Bag, package of 10

■ Included □ Optional

BDP 51/2000 C

Your floors will shine as bright as lightning.

With a mechanical safety interlock that prevents accidental start-ups, a built-in circuit breaker and fuse system to protect the motor and a rugged aluminum base and switch housing, the BDP 51/2000 is a durable burnishers that put the safety and brilliant results as priority number one.

Performance

- Floating handle automatically adjusts to operator height simplifying operation and providing a consistent high-gloss shine.

Safety

- Mechanical safety interlock to prevent accidental start-ups.
- Built in circuit breaker to protect motor.

Durability

- Rugged cast aluminum base and switch housing with non-marking bumper to protect the machine and facility.

		BDP 51/2000 C
TECHNICAL SPECIFICATIONS		
Productivity (practical)	**ft²/hr**	10,000
Pad speed	**rpm**	2000
Pad size	**in**	20
Motor	**hp**	1.5, single speed, permanent magnet DC motor
Electrical system		115V 60 Hz, built-in circuit breaker and fuse
Power cord	**ft**	75
Weight	**lbs**	112
Dimensions (L x W x H)	**in**	32 x 24 x 48.5
Wheels Four, non-marking	**in**	5 x 1.25
Hand tube cold rolled steel	**in**	1.5

EQUIPMENT

Order No.	Description
9.840-468.0	BDP 51/2000 C, 20 inch burnisher

ACCESSORIES

	Order No.	Description
■	8.622-247.0	Pad, Driver, 20 inch Burnisher
■	8.600-139.0	Replacement Dust Filter Bag, package of 10

■ Included □ Optional

PUZZI 8/1 C

Handy and compact for easy spot cleaning.

The handy, compact and powerful Puzzi 8/1 C spray extraction cleaner is ideal for small areas and interim cleaning with excellent cleaning results.

Easy to use

- Foot switch makes it easy to turn on and off – no bending required.
- Transparent dome lid for easy-to verify operation.

Easy to transport

- Swivel casters for easy maneuvering.
- Lightweight – at only 19 lbs., it can be carried up and down stairs without strain.

Smart features

- 8' high-pressure solution and vacuum hose
- Removable dirty water tank.

TECHNICAL SPECIFICATIONS		PUZZI 8/1 C
Productivity (practical)	**ft²/hr**	129–194
Air flow rating	**cfm**	11
Spray rate	**gal/min**	0.26
Spray pressure/back pressure	**psi**	14.5
Tank (fresh/dirty)	**gal**	2/1.8
Power rating (fan/pump)	**W**	1,100/40
Vacuum motor	**hp**	1.5 hp
water lift rating	**in**	87
Noise	**dBA**	71
Weight	**lbs**	19.8
Dimensions (L x W x H)	**in**	20.8 x 13 x 17.3

*Varies depending on carpet fiber type or material being cleaned.

EQUIPMENT

Order No.	Description
1.100-228.0	Puzzi 8/1 C, with 98.5" spray hose with integrated water feed and hand tool

ACCESSORIES

	Order No.	Description
■	6.391-410.0	8' Hose, Complete with couplings
■	4.130-116.0	4.33" Upholstery Hand Tool
□	4.130-127.0	Floor Wand, 2-Part with Aluminum Tube
□	4.130-394.0	Floor Wand, Quick-Action Coupling, Aluminum Tube and Metal Nozzle
□	4.762-220.0	Hard Surface Kit (attaches to 4.130-127.0 & 4.130-394.0 wands)
□	2.638-778.0	Window Cleaning Kit with 6.5ft (2M) Hose, (requires 2.389-293.0 Coupler)
□	4.130-083.0	Venetian Blind Kit (requires 6.389-293.0 Coupler)
□	4.130-128.0	Stair Cleaning Tool, 9"
□	6.391-411.0	13' High Pressure Solution & vacuum hose
□	6.391-410.0	8' Hose, Complete with couplings
□	4.130-117.0	Stone & Hard Surface Nozzle
□	4.762-219.0	Hard Surface Adapter for Standard Hand Tool
□	6.290-500.0	RM 760 Tablets, 200 Count
□	6.290-828.0	RM 760 Tablets, 16 Count

■ Included □ Optional

PUZZI 10/1

Powerful, compact spray extraction.

When you need the just right solution for small areas and detail cleaning reach for this spray extractor. The compact nature of this machine makes it perfect for tight areas and smaller jobs since it fits easily in those spaces. Even though it is a small machine, it deep cleans with authority due to its 1.67 hp vac motor. Carpets also dry up to 63% faster due to the superior design.

Smart design

- Adjustable handle on the floor tool enables a safer grip and ergonomic positioning of the operator.
- Easy two-switch operation

Compact for small areas

- Ideal for smaller spaces such as stairways or vehicles.
- Spray extraction for smaller areas and upholstery cleaning.

Spray extraction performance

- Carpets dry up to 63% faster than with other products.

		PUZZI 10/1
TECHNICAL SPECIFICATIONS		
Max. Productivity	**ft²/hr**	215-269
Solution capacity	**gal**	2.6
Recovery capacity	**gal**	2.3
Vacuum water lift	**in**	88
Spray rate	**gpm**	0.26
Hose	**ft**	8.2
Air flow rate	**cfm**	114.4
Weight	**lbs**	23.5
Dimensions (L x W x H)	**in**	26.2 x 12.6 x 17.1

EQUIPMENT

Order No.	Description
1.100-123.0	Puzzi 10/1 C, carpet extractor with 98.5” spray hose with integrated water feed and hand tool

ACCESSORIES

	Order No.	Description
■	6.391-410.0	8’ Hose, Complete with couplings
■	4.130-127.0	Floor Wand, 2-Part with Aluminum Tube
□	4.762-220.0	Hard Surface Kit, (attaches to 4.130-127.0 & 4.130-394.0 wands)
□	4.130-394.0	Floor Wand, Quick-Action Coupling, Aluminum Tube and Metal Nozzle

■ Included □ Optional

BRC 30/15 C

Compact, fast and simple extraction.

Get acquainted with the faster, simpler solution for small area extraction. The BRC 30/15 C is designed to productively clean carpet with less effort, resulting in time-saving productivity gains. In interest of simplicity this machine requires minimal service. It is lightweight and compact for ease of use and transportability.

Compact deep cleaning solution

- High performance vacuum motor for faster drying time

Extraction is no sweat

- Quiet, lightweight, easy to use
- Designed for minimal service

Portable and mobile

- Large 10 inch non-marking wheels for easy transport and maneuverability
- Fold-down handle for easy transportation in any vehicle

		BRC 30/15 C
TECHNICAL SPECIFICATIONS		
Cleaning path	**in**	10.5
Productivity (practical)	**ft²/hr**	1,070
Brushes (cylindrical)	**in**	10.5
Flow rate	**gpm**	0.38
Solution capacity	**gal**	4
Recovery capacity	**gal**	4.5
Operating noise level	**dBA**	79
Power cord	**ft**	25
Weight	**lbs**	79
Dimensions (L x W x H)	**in**	22.5 x 14 x 28

EQUIPMENT

Order No.	Description
1.008-058.0	BRC 30/15 C, 4 gallon carpet extractor

ACCESSORIES

	Order No.	Description
■	8.621-604.0	Brush, Chevron, 10”
■	8.629-552.0	Brush, Extractor, Natural Bristles
■	8.631-030.0	Assembly, Adapter (1/8”M X 1/4” FPT Nipple)
□	8.629-036.0	Hose and Hand Tool Kit, Bag included
□	8.600-075.0	Adapter for BRC 30/15 C & Mini Pro

■ Included □ Optional

BRC 46/38 C

Easy to maintain and easy to use.

We built the BRC 46/38 C for longevity and reliability for life of your equipment investment. Economic yet highly productive self contained extractors provide unmatched value for carpet extraction. Kärcher's line of self-contained extractors offer superior cleaning performance and innovative technology in durable, easy-to-use designs. Each ergonomically designed BRC unit features simplified controls to help insure professional results during every use. Additionally each BRC unit can be combined with optional accessories for spot, stair and furniture cleaning.

Easy to use

- No-hose design makes it easy to fill and empty

Adapts to any location

- Easily adjusted brush setting

Productivity in mind

- Quick connect ports for easily attached tools

TECHNICAL SPECIFICATIONS		BRC 46/38 C
Vacuum motor	**hp**	1.5
Air flow rate	**cfm**	100
water lift rate	**in**	117
Solution pump	**psi**	100
Solution spray		2 quick-connect jets
Brush working width	**in**	18
Working width, suction	**in**	21
Tank (fresh/dirty)	**gal**	10/10
Noise level	**dBA**	75
Brush motor rating	**W**	250
Weight	**lbs**	94
Dimensions (L x W x H)	**in**	33 x 21 x 44

EQUIPMENT

Order No.	Description
1.008-054.0	BRC 46/38 C, ten gallon carpet extractor

ACCESSORIES

	Order No.	Description
■	8.600-458.0	Jet, Mini PROMAX 9504
■	8.600-115.0	Sp Brush, 18"
□	8.600-001.0	Handtool Kit with Bag
□	8.602-852.0	Squeegee assembly 18"
□	8.622-959.0	Replacement blade, 18" squeegee
□	9.840-551.0	Air Quality MicroFilter™ Kit (Includes 2 filters and stainless steel bracket)
□	8.623-611.0	One Air Quality MicroFilter™ Refill

■ Included □ Optional

BRC 46/76 W

The most value per gallon.

The BRC 46/76 W has a low profile and compact design, allowing for exceptional maneuverability in small areas. The vacuum shoe provides superior solution recovery and fast dry times. These highly productive models clean at 5,000 ft2 so you can do more with less. Its unique vac shoe provides better recovery and faster dry times, allowing you to open your floors for traffic sooner.

Performance extraction value

- Cleans 5,000 ft^2 per hour.
- The most value per gallon capacity in the industry

Get more done in less time

- 20 gallon capacity reduces drains and refills.
- Self-propelled design for consistent operator productivity

Intuitive and user-friendly

- All-in-one controls and ergonomically designed handle simplify use and increase operator comfort

		BRC 46/76 W
TECHNICAL SPECIFICATIONS		
Cleaning path	**in**	18
Productivity (practical)	**ft^2/hr**	5,000
Brushes (cylindrical)	**in**	18
Brush motor	**hp**	1/3
Brush speed	**rpm**	1000
Flow rate	**gpm**	1.0
Solution capacity	**gal**	20
Recovery capacity	**gal**	20
Operating noise level	**dBA**	69
Power cord	**ft**	75
Weight	**lbs**	217
Dimensions (L x W x H)	**in**	49 x 22 x 41

EQUIPMENT

Order No.	Description
1.008-650.0	BRC 46/76 W, twenty-gallon carpet extractor

ACCESSORIES

	Order No.	Description
■	8.600-112.0	Brush, 18 L X 4.5 OD
■	8.600-458.0	Jet, Mini PROMAX 9504

■ Included □ Optional

PUZZI 30/4

Economical and easy extraction.

Clean out the dirt from your carpets, not the money out of your wallet with this economical box and wand extractor. Health of your patrons and employees is important so we included an integrated HEPA-level filter standard. The box and wand design allows for maximum portability so you can address messes and spills as soon as the happen.

Built for daytime use

- Only emits 66 dBA, so it will not disturb others

Flexible floor nozzle

- Our patented flexi-wand adjusts the extraction nozzle to lye flat on the floor for maximum suction and operator comfort.

Easy to use

- On-board storage of accessories with HomeBase system
- Large wheels allow easy transport over thresholds and steps
- Easy to fill and empty the solution tanks

TECHNICAL SPECIFICATIONS		PUZZI 30/4
Air flow rate	**cfm**	157
Vacuum waterlift	**in**	102
Flow rate	**gpm**	0.8
Spray pressure	**psi**	58
Tank, fresh water	**gal**	8
Tank, dirt water	**gal**	4
Electrical system		120 V, 10 amp
Operating noise level	**dBA**	66
Weight	**lbs**	62
Dimensions (L x W x H)	**in**	23 x 18 x 37

EQUIPMENT

Order No.	Description
1.101-126.0	Puzzi 30/4, with 13 foot hose with integrated water feed and hand tool

ACCESSORIES

	Order No.	Description
■	6.394-375.0	Suction hose (13 ft)
■	4.130-011.0	Flexible floor nozzle (13.75")
■	5.035-488.0	Home Base kit (adapter and cable hook)
■	4.130-000.0	Handle with sight glass
□	4.130-009.0	Floor nozzle
□	4.130-001.0	Upholstery tool
□	4.130-010.0	Crevice nozzle
□	4.762-017.0	Hard surface adapter

■ Included □ Optional

PUZZI 50/35 C & PUZZI 50/14 E

Versatility in a portable extractor.

Take control of your dirty floors with this deep-cleaning portable extractor. The Puzzi 50/35 C & Puzzi 50/14 E provide deep cleaning power and versatility in easy to transport machine. It features a user-friendly design that makes training easy and also increases productivity.

Functional and powerful

- Adjustable 0-500 psi spray pressure provides versatility to clean delicate upholstery and the power to clean the dirtiest carpet

User-friendly

- Wide open accessibility to service components for easy maintenance and cleaning

Convenient features

- All controls are conveniently positioned in one easy-to-reach location.

PUZZI 50/35 C & PUZZI 50/14 E

TECHNICAL SPECIFICATIONS		
Solution capacity	**gal**	13
Recovery capacity	**gal**	11
Pump	**psi**	500/200
water lift in H_2O (standard/heat)	**in**	107/74
Air flow (standard/heat)	**cfm**	73/111
Heater (w/ heat only)	**W**	1850
Weight (standard/heat)	**lbs**	115/134
Dimensions (L x W x H)	**in**	30.5 x 22 x 43.25

EQUIPMENT

Order No.	Description
1.006-672.0	Puzzi 50/35 C, thirteen-gallon spray carpet extractor
1.006-673.0	Puzzi 50/14 E, thirteen-gallon spray carpet extractor with 1850 W heater

ACCESSORIES

	Order No.	Description
☐	8.632-900.0	AquaFoil™ Wand
☐	8.632-885.0	Hose rack
☐	9.840-819.0	Deluxe hose and wand kit 500 psi AquaFoil™ Wand, 25' hose set and bag
☐	9.840-637.0	Complete hose and wand kit 500 psi Pro Wand, 25' hose set and bag
☐	8.626-074.0	Vacuum hose set 500 psi, 16.5'
☐	8.624-189.0	Vacuum hose set 500 psi, 25'
☐	8.600-060.0	Pro Wand 500 psi high temperature hose
☐	8.628-466.0	Auto detail kit 25' vacuum/solution hoses, 500 psi carpet/upholstery tool kit and 500 psi crevice tool
☐	8.628-464.0	Auto detail tool 500 psi
☐	8.628-465.0	Detailing crevice tool

■ Included ☐ Optional

PUZZI 64/35 E

Productive cleanliness.

The Puzzi 64/35 E has larger capacity solution and recovery tanks to accomplish more. It provides deep cleaning power and versatility in easy to transport machine. It features a user-friendly design that makes training easy and also increases productivity.

Functional and powerful

- Adjustable 0-500 psi spray pressure provides versatility to clean delicate upholstery and the power to clean the dirtiest carpet

User-friendly

- Wide open accessibility to service components for easy maintenance and cleaning

Convenient features

- All controls are conveniently positioned in one easy-to-reach location.

		PUZZI 64/35 E
TECHNICAL SPECIFICATIONS		
Solution capacity	**gal**	17
Recovery capacity	**gal**	14
Pump	**psi**	500, 150
Spray rate (standard/heat)	**in**	107/74
Air flow (standard/heat)	**cfm**	73/111
Heater	**W**	1850
Weight	**lbs**	120-139
Dimensions (L x W x H)	**in**	32.5 x 22.5 x 43

EQUIPMENT

Order No.	Description
1.006-674.0	Puzzi 64/35 E, seventeen-gallon spray carpet extractor with 1850 W heater

ACCESSORIES

	Order No.	Description
☐	8.632-900.0	AquaFoil™ Wand
☐	8.632-885.0	Hose rack
☐	9.840-819.0	Deluxe hose and wand kit 500 psi AquaFoil™ Wand, 25' hose set and bag
☐	9.840-637.0	Complete hose and wand kit 500 psi Pro Wand, 25' hose set and bag
☐	8.626-074.0	Vacuum hose set 500 psi, 16.5'
☐	8.624-189.0	Vacuum hose set 500 psi, 25'
☐	8.600-060.0	Pro Wand 500 psi high temperature hose
☐	8.628-466.0	Auto detail kit 25' vacuum/solution hoses, 500 psi carpet/upholstery tool kit and 500 psi crevice tool
☐	8.628-464.0	Auto detail tool 500 psi
☐	8.628-465.0	Detailing crevice tool

■ Included ☐ Optional

EXTRACTOR ACCESSORIES

Accessories for your extractors.

To get the most out of your tough extracting jobs, utilize one or more accessories to improve carpet appearance. From heating equipment to deluxe wands, we have what you are looking for. From the double dry carpet and upholstery hand tool that cleans deeper and dries faster, to the deluxe, standard and spotting wands that can be used with any Kärcher extractor, we have the right tool for any job.

Be more effective

- The right accessory for the job can significantly improve effectiveness and productivity

Save your back

- Choosing the proper accessory can dramatically improve operator ergonomics.

ACCESSORIES

Order No.	Description
8.604-105.0	Pro Heater
8.626-077.0	High temperature vac/hose Vac/solution hose assembly for use with Pro Heater
8.604-106.0	Pro Spray Powered sprayer
8.600-060.0	Deluxe professional wand with high temperature and pressure plumbing
8.600-061.0	Standard wand
8.600-005.0	Spotting wand
9.840-628.0	Spotting Wand Kit includes Spotting Wand with 12 ft. (4m) vacuum and solution hose (#39128) and carrying bag (#14182)
8.604-148.0	Flip tool 14”
8.600-000.0	Double Dry hand tool
9.840-617.0	Double Dry hand tool kit Includes 12’ vacuum/solution hose, carrying bag
8.600-002.0	Hand tool Combines solution spray w/ 3.5” vacuum head, up to 250 psi
8.600-001.0	Deluxe hand tool kit Includes hand tool w/ 12’ vacuum/solution hose, carrying bag
8.604-119.0	Fastraction spray wand Spray wand w/ 25’ of solution hose
8.604-118.0	Extraction spray wand 18” spray wand w/ 4’ solution hose
8.602-724.0	Double Dry hand tool adapter connects DDH directly to extractor - fits 1/4” hose
8.629-512.0	GFCI device kit Ground Fault Current Interrupts (GFCI) device kit
8.600-246.0	Vacuum hose coupler 1.5” - for Commodore DUO and Voyager DUO
8.626-069.0	Fill hose With faucet adapter
8.600-175.0	Hose carrying case Nylon mesh
8.600-414.0	Hose assembly 12’ 1.5” vac x 250 psi solution hoses
8.600-415.0	Hose assembly 16’ 1.5” vac x 250 psi solution hoses
8.628-416.0	Hose assembly 25’ 1.5” vac x 250 psi solution hoses

BRS 40/1000 C

Take on challenging dirt and grime.

Versatility is the key advantage to this hybrid machine. The BRS 40/1000 C bridges the gap between a floor machine and a walk-behind scrubber making it more versatile than other machine in this price range. The roller brushes allow it to deep clean difficult surfaces such as tile and grout or uneven floors.

Productive

- Floor machine using cylindrical brushes for aggressive cleaning on porous or uneven floors

Versatile

- Can operate like a traditional swing machine for productivity in open areas or like a walk-behind for detailed cleaning

Usability in mind

- Compact and portable
- Simple to operate and maintain

TECHNICAL SPECIFICATIONS		BRS 40/1000 C
Productivity (practical)	**ft²/hr**	3,200
Cleaning path	**in**	16
Brush speed	**rpm**	600
Solution capacity	**gal**	2.5
Operating noise level	**dBA**	69
Weight	**lbs**	60
Dimensions (L x W x H)	**in**	20 x 18 x 47

EQUIPMENT

Order No.	Description
1.783-332.0	BRS 40/1000 C, sixteen-inch, 2.6 gallon, all-purpose cylindrical scrubber

ACCESSORIES

	Order No.	Description
■	4.762-003.0	Cylindrical Brush - Red, Medium (2 required) (Included on 9.840-857.0 only)
□	4.762-250.0	Roller brush, White (2 required)
□	4.762-251.0	Roller brush, Orange (2 required)
□	4.762-252.0	Roller brush, Green (2 required)
□	4.762-274.0	Roller brush, Natural Bristle (2 required)
□	4.762-458.0	Roller brush, Red (2 required)
□	4.762-481.0	Roller brush, Black (2 required)
□	4.762-228.0	Roller pad (sleeve not included) 2 required
□	6.369-724.0	Roller pad, With Yellow Sleeve (2 required)
□	6.369-725.0	Roller pad, With Green Sleeve (2 required)
□	6.369-726.0	Roller pad, With Red Sleeve (2 required)
□	6.369-727.0	Roller pad, With White Sleeve (2 required)
□	4.762-254.0	Roller brush, carpet brush for loop-pile carpets (2 required)
□	4.114-004.0	Roller pad, microfiber (2 required)
□	4.114-003.0	Cylindrical Brush - White, Soft (2 required)
□	8.635-691.0	Cylindrical Brush - Orange, Hi/Lo (2 required)

■ Included □ Optional

BDS 43/175 C, BDS 51/175 C & BDS 51/175-300 C

Strong, solid and robust operation.

The BDS 43/175 C , BDS 51/175 C & BDS 51/175-300 C floor machines are high quality, durable units that offer power and versatility for scrubbing and stripping. They feature an adjustable handle to accommodate various user heights and five inch non-marking wheels to allow easy transportation. These machines are available in single-speed or dual-speed.

Floor Machine Built for Durability and Reliability

- Robust motor for everyday reliability
- Separate start and run capacitors for durability
- Cord strain relief to keep cord from breaking or tearing
- Strong and solid handle housing for trouble free operation

Flexibility for Your Needs

- Single-speed and dual-speed models available
- Fully adjustable handle height to accommodate multiple users

BDS 43/175 C, BDS 51/175 C & BDS 51/175-300 C

TECHNICAL SPECIFICATIONS		
Productivity (practical) (17”/20”)	**ft²/hr**	1,923/2,222
Cleaning path	**in**	17, 20
Pad speed (standard/dual-speed)	**rpm**	175/300
Electrical system		115V 60 Hz
Operating noise level	**dBA**	63
Power cord	**ft**	50
Dimensions (L x W x H) (17”/20”)	**in**	23 x 18 x 47/24.5 x 21 x 47

EQUIPMENT

Order No.	Description
1.009-091.0	BDS 43/175 C, seventeen-inch burnisher
1.009-092.0	BDS51/175 C, twenty-inch, dual speed burnisher
1.009-094.0	BDS 51/175-300 C, twenty-inch, dual speed burnisher with clutch plate

ACCESSORIES

	Order No.	Description
■	8.600-012.0	Pad Driver, 17” with Clutch Plate (Bolt 17”)
■	8.628-430.0	Pad Driver, 20” with Clutch Plate (Bolt 20”)
■	8.628-429.0	Pad Driver, 20” for Dual Speed Machine (Bolt 20” Dual Speed)
□	8.600-062.0	Solution tank 4 gallon
□	8.600-507.0	Center lock
□	8.628-371.0	17” Aggressive Grit Brush with Clutch Plate
□	8.600-013.0	17” Mild Grit Brush with Clutch Plate
□	8.600-014.0	17” Nylon Polish Brush with Clutch Plate
□	8.628-380.0	17” Nylon Scrub Brush with Clutch Plate
□	8.600-011.0	17” Polypropylene Brush with Clutch Plate
□	8.625-258.0	17” Sanding Disc
□	8.628-369.0	20” Aggressive Grit Brush with Clutch Plate
□	8.628-378.0	20” Mild Grit Brush with Clutch Plate
□	8.628-379.0	20” Nylon Polish Brush with Clutch Plate
□	8.628-377.0	20” Nylon Scrub Brush with Clutch Plate
□	8.628-370.0	20” Polypropylene Brush with Clutch Plate
□	8.625-259.0	20” Sanding Disc

■ Included □ Optional

BDS 43/DUO C

Conquer all surfaces with the BDS 43/Duo C

See the superior advantage of ORB Technology; these are the only all-surface cleaning, scrubbing, sanding, polishing, extraction, interim, and grinding machines in the industry. It tackles carpet, stone, tile & grout, wood, vinyl, concrete, epoxy, and other surfaces. The machine excels at chemical-free stripping, interim carpet encapsulation, tile & grout cleaning and more.

Superior Orbital Mechanics

- Orbital agitation requires less time, water, chemical, and heat
- Designed so that the pad has 100% contact with the floor

Productivity

- Low-vibration design makes prevents operator fatigue

Ease of Use

- Ergonomic, vertical handle is adjustable for different operator heights and folds down for ease of transportation

TECHNICAL SPECIFICATIONS		BDS 43/DUO C
Productivity (practical) (carpet/stripping/stone)	**ft²/hr**	7,000/6,000/120
Cleaning path	**in**	17
Pad speed	**rpm**	1725/80
Solution capacity	**gal**	3
Operating noise level	**dBA**	59
Weight	**lbs**	102
Dimensions (L x W x H)	**in**	56.1 x 29.8 x 50

EQUIPMENT

Order No.	Description
9.841-237.0	BDS 43/Duo C Classic, seventeen inch pad driver without solution tank
9.841-236.0	BDS 43/Duo C, seventeen inch pad driver with solution tank

ACCESSORIES

	Order No.	Description
☐	8.637-658.0	Carpet Cleaning Pad (10 pk)
■	8.637-469.0	Replacement Driver Plate Pack (1 pk)
☐	8.637-466.0	Carpet Encap Scrub Pad (5 pk)
■	8.637-470.0	Glider Set
☐	8.637-471.0	Weight Kit
☐	8.637-468.0	Scrub Brush
☐	8.637-467.0	Chemical-Free Stripping Pad (10 pk)
☐	8.637-472.0	Bottle Cartridge, 2.5 Gal
☐	8.640-045.0	Complete Stone Restoration Kit (Steps 1-6)
☐	8.640-046.0	Light Restoration & Maintenance Kit (Steps 3-6)
☐	8.640-047.0	Stone Pad, Step 1
☐	8.640-048.0	Stone Pad, Step 2
☐	8.640-049.0	Stone Pad, Step 3
☐	8.640-050.0	Stone Pad, Step 4
☐	8.640-051.0	Stone Pad, Step 5
☐	8.640-052.0	Stone Pad, Step 6
■	8.640-055.0	Aluminum Pad Driver
☐	8.640-054.0	Stone Pad Maintenance
☐	8.637-903.0	Lippage Removal Driver (no discs included)
☐	8.637-904.0	Lippage Removal Discs (set of 8)
☐	8.640-053.0	Foam Pad Driver (recommended for step 1)

■ Included ☐ Optional

B 60/10 ECO AUTOMOP

Do more with less.

The B 60/10 Eco AutoMop combines the best features of a mop with the best features of an autoscrubber to make a new category of cleaning equipment. We recognized a need for a cleaning solution between a mop & bucket and an autoscrubber in function, capability and price.

Safety

- Leaves floor dry and reduces slip-n-falls
- National Floor Safety Institute High Traction Certification (NFSI)

Hygienic / Green

- Clean with clean water vs. spreading dirty water
- Quiet <52 dBA

Productivity

- 5x the cleaning rate of a mop in open areas
- Greater productivity than a 20" pad assist autoscrubber
- Maintenance free: no batteries, no cords

B 60/10 AUTOMOP

TECHNICAL SPECIFICATIONS		
Productivity (practical)	**ft²/hr**	15,840
Cleaning path	**in**	24
Solution capacity	**gal**	2.5
Recovery capacity	**gal**	3
Operating noise level	**dBA**	52
Weight	**lbs**	44

EQUIPMENT

Order No.	Description
1.006-706.0	B 60/10 Eco! Hygienic, twenty-four inch AutoMop, includes mop wringer and bracket, bucket, mop hook and caddy
1.006-707.0	B 60/10 Eco! Productivity, twenty-four inch AutoMop, includes mop wringer and bracket, mop hook and caddy
1.006-708.0	B 60/10 Eco! Detail, twenty-four inch AutoMop, includes mop wringer and bracket, bucket, front bracket, mop hook and caddy

BUILD-YOUR-OWN KITS (REQUIRED WHEN ORDERING BASE MODEL)

	Order No.	Description
☐	8.637-949.0	Hygiene kit: includes 1 hook, mop tray, and caddy
☐	8.637-950.0	Productivity kit: includes 1 hook, mop tray, wringer
☐	8.637-951.0	Detail kit: includes 2 hooks, mop tray, wringer, clean water bucket bracket, and clean water bucket

ACCESSORIES

	Order No.	Description
☐	8.637-958.0	Mop with Solution Reservoir
☐	8.637-944.0	Deck Pad (5-pack)
☐	8.637-592.0	3M Easy Trap (bulk roll of 50 strips) (each Cricket™ comes with 3 strips)
☐	8.637-590.0	Linatex Squeegee

■ Included ☐ Optional

BD 30/4 C BP

NEW

Sweat the small stuff.

When you manage a small, congested facility you are faced with the challenge of manually cleaning around furniture and other tight areas. The BD 30/4 C Bp is the solution you have been hoping for. Get professional results every time with this compact scrubber. It fits anywhere you need to clean–in and around furniture, in narrow hallways and more. The lithium-ion battery and low sound level produced by this design perfectly suit it to cleaning while guests are present.

Designed for busy areas

- Right-sized for cleaning tight, congested areas
- 100% water pickup in the corners, leaving your floors safe & dry

Daytime operation

- Eco! efficiency mode for quiet daytime operation
- Our innovative design allows for backwards scrubbing

The solution for everyone

- Adjustable handle for optimal ergonomics for every user
- Professional results every time

		BD 30/4 C BP
TECHNICAL SPECIFICATIONS		
Cleaning path	**in**	11
Productivity (practical/theoretical)	**ft²/hr**	6,790/9,700
Weight	**lbs**	44
Battery run time	**min**	60
Battery recharge time	**hrs**	2
Sound level	**dBA**	<70
Fresh/recovery tank	**gal**	1/1
Dimensions (L x W x H)	**in**	22 x 15 x 41

EQUIPMENT

Order No.	Item Description
1.783-231.0	BD 30/4 C Bp, compact scrubber with an eleven inch disc brush

ACCESSORIES

	Order No.	Item Description
■	6.670-127.0	Disk brush red
■	6.670-126.0	Battery
■	6.670-130.0	Battery charger
■	6.670-234.0	Set of squeegee blades

■ Included □ Optional

BR 30/4 C

Compact scrubbing anywhere.

Ditch the mop with the more productive and more hygienic BR 30/4 C compact scrubber. This machine will provide you with clean and dry floors and it is easier to use than a mop. It is as easy to use as an upright vacuum which makes it perfect for any professional setting.

The alternative to mopping

- Floors are brush-cleaned and left dry, allowing you to quickly and safely return the area to service
- Dirt and contaminants are captured and removed from the floor without worker contact

Rugged construction

- Built to handle the rigors of daily use

Easy to use

- Lightweight at just 24 lbs
- Easy to fill and empty

TECHNICAL SPECIFICATIONS		BR 30/4 C
Cleaning path	**in**	12
Productivity (practical)	**ft²/hr**	1,400
Brush (cylindrical)	**in**	12
Brush diameter	**in**	2.4
Brush speed	**rpm**	1450
Down pressure (with full solution tank)	**lbs**	32
Solution capacity	**gal**	1
Solution flow	**gpm**	0.25-0.3
Recovery capacity	**gal**	1
Vacuum motor	**hp**	1.1
Operating noise level	**dBA**	71
Power cord	**ft**	33
Weight	**lbs**	24
Dimensions (L x W x H)	**in**	15.4 x 13 x 46.5

EQUIPMENT

Order No.	Description
1.783-221.0	BR 30/4 C, twelve inch scrubber with roller brushes

ACCESSORIES

	Order No.	Description
■	4.762-428.0	Cylindrical Brush, Red
■	4.777-420.0	Suction bar
□	4.762-484.0	Cylindrical Brush, Orange
□	4.762-452.0	Cylindrical Brush, White
□	4.762-453.0	Cylindrical Brush, Microfiber
□	4.777-320.0	Squeegee Cartridge Replacement (1 each)
□	4.777-324.0	Squeegee Cartridge Replacement (Oil Resistant, 1 each)
□	9.840-766.0	Standard Replacement Kit (Includes 1 red brush, 2 squeegee cartridges)
□	6.649-600.0	Power Cable 10m
□	4.762-499.0	Cylindrical Brush, Blue, for Carpet Cleaning
□	2.642-662.0	Squeegee, standard, straight (includes set of 2)
□	5.033-275.0	Suction Bar, Carpet Cleaning (2 required for Carpet Cleaning)

■ Included □ Optional

BR 35/12 C BP

The race is always won in the corners.

Thanks to our innovative steerable scrub deck, the BR 35/12 C Bp can clean up to the wall at a 90° angle. It can also clean in reverse, or in any needed. The height-adjustable, telescoping and folding steering column allows optimal ergonomics for any operator. The folding steering column also makes it easy to secure for transport.

Steer your way to cleaner floors

- Our innovative steerable scrub deck allows for scrubbing in any direction, and provides perfect scrubbing right up to the edge.

Customizable for any need

- The telescoping handle adjusts to any operator's height
- Brush height is adjustable for multiple floor types

Taking efficiency to the next level

- Kärcher's unique eco!efficiency mode features increases operation by 50%, and reduces noise by 40%.

		BR 35/12 C BP
TECHNICAL SPECIFICATIONS		
Brush working width	**in**	14
Vacuum working width	**in**	18
Productivity	**ft²/h**	15,069
Intake performance	**W**	500
Fresh water/waste water tank	**gal**	3 / 3
Brush speed	**rpm**	700–1,500
Weight (including battery)	**lbs**	77
Dimensions (L x W x H)	**in**	39 x 18 x 51

EQUIPMENT

Order No.	Description
1.783-454.0	BR 35/12 C Bp, fourteen inch scrubber with roller brushes

ACCESSORIES

	Order No.	Description
■	4.037-031.0	Roller Brush, red, medium
□	4.037-036.0	Roller Brush, white, soft
□	4.037-037.0	Roller Brush, orange, high/low
□	4.037-038.0	Roller Brush, green, hard
□	4.037-039.0	Roller Brush, black, very hard
□	4.762-009.0	Roller Pad roller shaft
□	6.369-053.0	Roller Pads on sleeve, yellow, soft
□	6.369-047.0	Roller Pads on sleeve, red, medium
□	6.369-052.0	Roller Pads on sleeve, green, hard
□	4.037-040.0	Microfiber roller
■	4.037-035.0	Squeegee blade Set, standard, oil-resistant, polyurethane
■	6.654-294.0	Lithium-Ion Battery, 21 Ah

■ Included □ Optional

BD 38/12 C BP

NEW

Steer your way to cleaner floors.

Think of the BD 38/12 as a 15 inch disc version of the popular BR 35/12. The design allows for the easiest driving of a walk-behind disk scrubber on the market. The squeegee follows behind the disc to ensure 100% solution pickup even through the corners.

Steerable, innovative disc scrubber

- Extremely agile for efficient cleaning of small and very furnished areas.
- Easy to use–scrub right up to the wall

Real world practicality

- Quick charging lithium-ion battery has a longer lifetime than normal batteries.
- Very compact, light and easy to transport and roll over steps.

Ready for day time cleaning

- Application also in noise sensitive areas possible due of significantly reduced noise level.

		BD 38/12 C BP
TECHNICAL SPECIFICATIONS		
Cleaning path	**in**	15
Productivity (practical/theoretical)	**ft²/hr**	12,270/16,360
Weight	**lbs**	79
Battery run time	**min**	60-120
Battery recharge time	**hrs**	2-3
Brush speed	**rpm**	180/150
Sound level (standard/eco)	**dBA**	65/62
Brush motor power (standard/eco)	**W**	250/200
Tank volume (fresh/dirty)	**gal**	3.2/3.2
Dimensions (L x W x H)	**in**	37 x 20 x 51

EQUIPMENT

Order No.	Item Description
1.783-431.0	BD 38/12 C, compact scrubber with fifteen inch disc brush

ACCESSORIES

	Order No.	Item Description
■	6.907-151.0	Disc brush, red
■	6.654-294.0	Lithium-ion battery, 21 Ah
□	6.907-150.0	Pad driver plate
□	6.369-003.0	Pad, medium soft, red, set of 5
□	6.369-002.0	Pad, medium soft, green, set of 5
□	6.369-001.0	Pad, hard, black, set of 5
□	6.905-060.0	Microfiber pad, set of 5

■ Included □ Optional

BR 40/10 C ADV

The easy-to-use, powerful compact scrubber.

Compact, yet powerful, the BR 40/10 C Adv is the right scrubber for small to medium-sized jobs. Adjustable cleaning pressure and multiple brush options are available for flexibility to clean any type of hard floor. The large clean and dirty water tanks allow for longer run times to maximize productivity.

Cleaning Performance

- Compact design provides powerful scrubbing in congested areas
- Two counter-rotating brushes with variable pressure, up to 88 lbs
- Two squeegees for pick-up in forward or reverse

Increased Productivity

- Large 2.5 gallon tanks for longer run time
- Solution and recovery tanks are easy to fill, empty and clean
- No tool brush and squeegee removal for easy maintenance

Versatility

- Variety of brushes available for any cleaning application

TECHNICAL SPECIFICATIONS		BR 40/10 C ADV
Cleaning path	**in**	16
Productivity (practical)	**ft²/hr**	3200
Brushes width/diameter	**in**	16/3.7
Brush speed	**rpm**	660
Brush motor	**hp**	1.5
Down pressure	**lbs**	88
Solution/Recovery capacity	**gal**	2.5/2.5
Solution flow	**gpm**	0.25-0.3
Vacuum motor	**hp**	0.6
Operating noise level	**dBA**	71
Power cord	**ft**	50
Weight	**lbs**	66
Dimensions (L x W x H)	**in**	20.5 x 18.5 x 15

EQUIPMENT

Order No.	Description
1.783-312.0	BR 40/10 C Adv, sixteen inch scrubber with roller brushes

ACCESSORIES

	Order No.	Description
■	8.632-315.0	Cord Set, 14/3 SJT X 50 Ft, Yellow
■	4.762-458.0	Roller Brush Red
■	4.777-323.0	Suction bar, complete replacement (BR 40/10)
□	8.635-691.0	16" Chemical-Free Cylindrical Roller (2 required)
□	4.762-254.0	Carpet brush, Blue (2 required)
□	4.777-417.0	Suction Bar, Carpet Cleaning (2 required for using carpet cleaning brush, designed for optimum suction on soft floors
□	4.762-250.0	Roller brush, White (2 required)
□	4.762-251.0	Roller brush, Orange (2 required)
□	4.762-252.0	Roller brush, Green (2 required)
□	4.762-481.0	Roller brush, Black (2 required)
□	4.777-322.0	Oil resistant squeegee tool (2 required)
□	4.762-228.0	Roller pad shaft (2 required for microfiber pads)
□	6.369-724.0	Roller pads, Yellow, Complete (2 required)
□	6.369-726.0	Roller pads, Red, Complete (2 required)
□	6.369-725.0	Roller pads, Green, Complete (2 required)
□	6.369-727.0	Roller pads, White, Complete (2 required)
□	4.114-004.0	Roller pad, microfiber

■ Included □ Optional

BD 43/25 C BP

Quality is within your reach.

This is the 17 inch scrubber for value and productivity. Its compact size allows for easy operation in tight areas. The BD 43/25 C Bp features a streamlined design that is easy to service; every aspect of the design has been streamlined for ultimate quality at a price that will not break the bank.

Affordable quality

- Excellent scrubbing performance for the price
- Less parts, easy access, reliable electronics for lower total cost of ownership

Easy training

- Training a new operator in no time with our simple, easy-to-use Easy!Dial
- Color coded controls let the operator know what is important

Thoughtful design

- Fresh water level indicator
- Home base system allows for easy transportation of extra items

NEW

TECHNICAL SPECIFICATIONS		BD 43/25 C BP
Cleaning path	**in**	17
Dimensions {L x W x H]	**in**	45 x 20 x 41
Power rating	**W**	1100
Vac motor power rating	**W**	500
Brush motor	**W**	600
Brush speed	**rpm**	155
Air volume	**cfm**	51
Productivity (theoretical)	**ft²/hr**	18,500
Turning radius	**in**	59
Tank volume (fresh/dirty)	**gal**	6.6/6.6
Fresh water flow rate	**gal/min**	0.7
Sound level	**dBA**	66

EQUIPMENT

Order No.	Item Description
9.841-416.0	BD 43/25 C Bp, Red Brush with Wet Batteries
9.841-417.0	BD 43/25 C Bp, Red Brush with AGM Batteries
9.841-418.0	BD 43/25 C Bp, Pad Driver with Wet Batteries
9.841-419.0	BD 43/25 C Bp, Pad Driver with AGM Batteries

ACCESSORIES

	Order No.	Item Description
■	4.905-022.0	Disc brush red, seventeen inches
■	5.035-488.0	Home base kit (Adapter and double hook)
■	4.762-533.0	Pad driver
□	4.777-406.0	Straight squeegee, 33.5 inches, w/o caster, rubber
□	4.777-416.0	Curved squeegee, 33.5 inches, w/o caster, rubber
□	4.777-401.0	Straight squeegee, 33.5 inches, with caster, polyurethane
■	4.777-411.0	Curved squeegee, 33.5 inches, with caster, polyurethane

■ Included □ Optional

BR 45/22 C BP

NEW

Steerable scrubbing has grown up.

The big brother to our popular BR 35/12, our BR 45/22 brings even more productivity to our innovative steerable scrubber design. This machine has a larger tank and an 18 inch cleaning path that equates to a 30% improvement in productivity over the BR 35/12. It is easy to transport and handle, and features a long-lasting lithium-ion battery.

Innovative, steerable scrub deck

- Steerable scrub deck allows for best in class maneuverability
- Easy to operate and easy to move from job to job
- Lithium-ion battery provides long run times

Thoughtfully designed

- Eco!efficiency mode saves resources, extend the running time and makes the machine quieter
- Easy operation due to color coded controls

Productivity in mind

- Dirty water drain hose for easy dumping
- Increase productivity with built-in pre-sweeping

		BR 45/22 C BP
TECHNICAL SPECIFICATIONS		
Cleaning path	**in**	18
Weight	**lbs**	121
Motor speed	**rpm**	1600
Productivity (theoretical)	**ft²/hr**	19,375
Power consumption	**W**	650
Run time (standard/eco!)	**hr**	1.5/2
Charge time	**hr**	4.5
Steering wheel height (extended/retracted)	**in**	44/37
Squeegee width	**in**	20
Sound level	**dBA**	66
Tank volume (fresh/dirty)	**gal**	6/6
Dimensions (L x W x H)	**in**	36 x 22 x 44

EQUIPMENT

Order No.	Item Description
1.783-461.0	BR 45/22 C

ACCESSORIES

	Order No.	Item Description
■	4.762-392.0	Cylindrical brush, red
■	6.654-294.0	Lithium-Ion battery
■	4.763-392.0	Red brush
□	4.762-408.0	Black brush
□	4.762-407.0	Green brush
□	4.762-406.0	Orange brush
□	4.762-405.0	White brush
□	4.097-093.0	Micro fiber cylindrical pad
■	4.037-097.0	Squeegee blade set

■ Included □ Optional

B 40 C/W BP

Quiet, compact, innovative and customizable

We built this machine to be easy to operate, safe and easy to maintain. Our Kärcher Intelligent Key (KiK) and our advanced EASY operation are some of the many reasons why the B 40 C/W family offers a full spectrum of safety and protection for operators, machines and your floors.

Complete control

- 100% control of the speed of your scrub brushes allows you to balance scrubbing power, noise levels and power consumption.

Interchangeable decks

- Chose disc and cylindrical decks from 17 to 22 inches
- Each can be changed quickly and without tools.

Quiet, robust and efficient

- The B 40 has six different cleaning modes so you can easily adjust the machine to fit the needs at any moment.

		B 40 W		B 40 C	
		■ Traction Drive base unit		■ Brush Assist base unit	
TECHNICAL SPECIFICATIONS					
Nominal voltage	**V**	24	24	24	24
Brush working width	**in**	17-20, disc	18-22, cylindrical	17-20, disc	18-22, cylindrical
Working width, suction	**in**	33.5	33.5	33.5	33.5
Theoretical Productivity	**ft²/hr**	18,300-23,680	18,300-23,680	18,300-23,680	18,300-23,680
Fresh/dirty water tank volume	**gal**	10.6 / 10.6	10.6 / 10.6	10.6 / 10.6	10.6 / 10.6
Max. water flow	**gpm**	0.68	0.68	0.68	0.68
Max. rpm	**rpm**	1,200	1,200	1,200	180
Power consumption, entire device	**W**	1300	1300	1100	1100
Power consumption, vacuum motor	**W**	500	500	500	500
Power consumption, brush motors	**W**	600	600		
Power consumption, traction motor	**W**	130	130		
Operating Noise Level	**dBA**	60-69	60-69	60-69	60-69
Weight (with battery)	**lbs**	307-384	307-384	290-370	290-370
Dimensions (L x W x H)	**in**	49 x 20.5 x 45	49 x 20.5 x 45	49 x 20.5 x 45	49 x 21.1 x 45

EQUIPMENT

Order No.	Description
9.841-122.0	B 40 W Bp, Traction drive base unit with 105 Ah batteries (cleaning head sold separately)
9.841-123.0	B 40 W Bp, Traction drive base unit with 138 Ah AGM batteries (cleaning head sold separately
9.841-120.0	B 40 C Bp, Brush assist base unit with 105 Ah batteries (cleaning head sold separately)
9.841-121.0	B 40 C Bp, Brush assist base unit with 138 Ah AGM batteries (cleaning head sold separately)
9.841-372.0	B 40 W Bp, 10.6 Gallon Scrubber with 105 Ah Low Maintenance Batteries, R55 Scrub Deck
9.841-373.0	B 40 W Bp, 10.6 Gallon Scrubber with 105 Ah Low Maintenance Batteries, D51 Scrub Deck
9.841-374.0	B 40 W Bp, 10.6 Gallon Scrubber with 138 Ah AGM Batteries, R55 Scrub Deck
9.841-375.0	B 40 W Bp, 10.6 Gallon Scrubber with 138 Ah AGM Batteries, D51 Scrub Deck

See next page for equipment and accessory order numbers.

B 40 C/W ACCESSORIES

STANDARD ACCESSORIES (INCLUDED)		
Product Name	**Order No.**	**Description**
Suction Bar	4.777-411.0	Suction Bar, Curved with Rollers and Polyurethane oil-resistant blades (33.5" / 850 mm)
Adapter	5.035-488.0	Adapter Homebase Accessories
Double Hook	6.980-077.0	Double Hook (requires 5.035-488.0)
Operator Key	5.035-344.0	Operator Key, Yellow
Foreman Key	5.035-348.0	Foreman Key, Gray

OPTIONAL ACCESSORIES		
Lid	4.035-369.0	Lid with Tank Rinsing System
Quick Fill Tank System	4.035-345.0	Quick Fill Tank System (requires 9.083-003.0)
Hose coupling	9.083-003.0	Hose coupling
Squeegee Blade Set	6.273-207.0	Squeegee Blade Set, oil resistant (standard w/ 4.777-411.0)
Squeegee Blade Set	6.273-229.0	Squeegee Blade Set, anti stripe oil resistant
Squeegee Blade Set	6.273-290.0	Squeegee Blade Set, for textured floors
Squeegee Blade Set	6.273-213.0	Squeegee Blade Set, EPDM
Suction Bar	4.777-401.0	Suction Bar, Straight with Rollers and Polyurethane Reversible Blades
Suction Bar	4.777-406.0	Suction Bar, Straight with EPDM Blades
Suction Bar	4.777-416.0	Suction Bar, Curved with EPDM Blades

HOMEBASE ACCESSORIES		
Homebase Kit	4.035-374.0	Homebase Kit (includes Mop Support, Mop Clip and Bottlehook)
Carrying Case	4.035-406.0	Homebase Kit Carrying Case
Adapter	5.035-488.0	Adapter Homebase Accessories
Double Hook	6.980-077.0	Double Hook (requires 5.035-488.0)
Mopclip	6.980-078.0	Mopclip (requires 5.035-488.0)
Mop Support	5.035-655.0	Mop Support
Mop Bracket	5.035-656.0	Mop Bracket (for Mop Support 5.035-655.0)
Bottle Hook	6.980-080.0	Bottle Hook (requires 5.035-488.0)

KIK (KÄRCHER INTELLIGENT KEY)		
Operator Key	4.035-408.0	Operator Key, Yellow, Set of 5
Foreman Key	5.035-348.0	Foreman Key, Gray
Service Technician Key	5.035-337.0	Service Technician Key, Red

CLEANING HEADS - R 45		
R 45 head	2.763-020.0	R 45 head, 18" / 450 mm Scrub Deck for Non-Traction Drive Machines (for C Units)
R 45 head	2.763-019.0	R 45 head, 18" / 450 mm Scrub Deck for Traction Drive Machines (for W Units)
Roller brush	4.762-392.0	Roller brush, Red General Purpose (Included with Scrub Deck)
Roller brush	4.762-405.0	Roller brush, Soft, White
Roller brush	4.762-406.0	Roller brush, Hi-Low, Orange
Roller brush	4.762-407.0	Roller brush, Aggressive, Green
Roller brush	4.762-408.0	Roller brush, Very Aggressive, Black
Roller Pad Shaft	4.762-413.0	Roller Pad Shaft (required for all brushes below)
Roller	4.114-009.0	Microfiber Roller
Roller pad	6.367-105.0	Roller pad, Yellow (Soft)
Roller pad	6.367-107.0	Roller pads, Red, General Purpose
Roller pad	6.367-108.0	Roller pad, White, (Very Soft) for High-Gloss Floors
Roller pad	6.367-106.0	Roller pad, Green (Hard & Aggressive)

B 40 C/W ACCESSORIES

CLEANING HEADS - D 43		
D 43 head	2.763-023.0	D 43 head, 17" / 432 mm Scrub Deck for all Battery-Powered B 40 units
Pad Driver Board	4.762-533.0	Pad Driver Board
Pad	6.905-526.0	Microfiber Pad
Disc brush	4.905-023.0	Disc brush, Natural Fibers
Disc pad	6.369-470.0	Disc pad, Red (General Purpose/Standard)
Disc brush	4.905-022.0	Disc brush, Red 17"
Disc brush	4.905-024.0	Disc brush, White 17"
Disc brush	4.905-025.0	Disc brush, Black 17"
Disc pad	6.369-472.0	Disc pad Green (Aggressive)
Disc pad	6.369-473.0	Disc pad Black (Very Aggressive)
Disc pad	6.369-469.0	Disc pad White (Soft)
Disc pad	6.371-081.0	Disc pad Beige (Light Aggregate)
Disc pad	6.371-149.0	Disc pad, Party Natural
CLEANING HEADS - R 55		
R 55 head	2.763-013.0	R 55 head, 22" / 550mm Scrub Deck for Non-Traction Drive Machines (for C Units)
R 55 head	2.763-011.0	R 55 head, 22" / 550mm Scrub Deck for Traction Drive Machines (for W Units)
Roller brush	4.762-393.0	Roller brush red 22" (included with Scrub Deck)
Roller brush	4.762-409.0	Roller brush white 22"
Roller brush	4.762-410.0	Roller brush orange 22"
Roller brush	4.762-411.0	Roller brush green 22"
Roller brush	4.762-412.0	Roller brush black 22"
Roller pad	4.762-415.0	Roller pad shaft 22"
Roller	8.635-692.0	Roller, stripping 22"
Roller	4.114-010.0	Microfiber Roller 22"
Pad	6.369-732.0	Pad yellow with sleeve 22"
Pad	6.369-734.0	Pad red with sleeve 22"
Pad	6.369-735.0	Pad white with sleeve 22"
Pad	6.369-733.0	Pad green with sleeve 22"

CLEANING HEADS - D 51		
D 51 head	2.763-026.0	D 51 head, 20" / 510mm Scrub Deck for all Battery-Powered B 40 units
Scrub brush	4.905-026.0	Scrub brush, Red (Included with Scrub Deck)
Scrub brush	4.905-028.0	Scrub brush, White (Soft)
Scrub brush	4.905-029.0	Scrub brush, Black (Aggressive)
Scrub brush	4.905-027.0	Scrub brush, Natural Fibers
Driver Board	4.762-534.0	Pad Driver Board
Microfiber Pad	6.371-271.0	Microfiber Pad
Disc pad	6.369-079.0	Disc pad, Red (General Purpose/Standard)
Disc pad	6.369-078.0	Disc pad Green (Aggressive)
Disc pad	6.369-077.0	Disc pad Black (Very Aggressive)
Disc pad	6.369-468.0	Disc pad Beige (Light Aggregate)
Disc pad	6.371-146.0	Disc pad, Party Natural

BD 50/50 C CLASSIC BP

Professional cleaning, now made easier.

This economically-designed scrubber provides you all the cleaning power to take on large jobs–perfect for retail environments, schools and health care facilities.

Easy to use

- Three cleaning modes make it simple for any operator to get the job done right
- Easy to switch from brush to pad

Great value

- We packed a lot of high quality, proven features into this robust scrubber.

Operator friendly

- The slim design of the Kärcher BD 50/50 allows you to see in front of the scrubber easier
- Home base kit allows for carrying of other essentials on the machines, for less visits to the supply closet.

		BD 50/50 C CLASSIC BP
TECHNICAL SPECIFICATIONS		
Working width, brushes	**in**	20
Working width, vacuuming	**in**	33.5
Practical Productivity	**ft²/hr**	13,200
Tank volume (fresh/dirty)	**gal**	14/14
Water flow max.	**gpm**	0.608
Minimum turning radius	**in**	59
Power rating, overall machine	**W**	1100
Weight (without battery)	**lbs**	126
Operating noise level	**dBA**	66
Dimensions (L x W x H)	**in**	47 x 21 x 39
Contact pressure	**lbs**	59-62

EQUIPMENT

Order No.	Description
9.841-369.0	BD 50/50 C Classic Bp, twenty inch disc brush scrubber with 105 Ah batteries and shelf charger
9.841-370.0	BD 50/50 C Classic Bp, twenty inch disc brush scrubber with 100 Ah AGM batteries and shelf charger

ACCESSORIES

	Order No.	Description
■	4.905-026.0	Brush, medium red - For general cleaning needs
■	4.777-411.0	Squeegee, 33.5" curved
□	4.905-027.0	Brush, soft natural - Made of natural fibers for cleaning and polishing
□	4.905-029.0	Brush, hard black - For stubborn dirt and basic cleaning. For hard wearing surfaces.
□	4.762-534.0	Pad drive board - For cleaning with pads. With quick-change coupling and center lock.
□	6.369-079.0	Pad, medium soft red (5 pieces) - For cleaning all types of floors.
□	6.369-078.0	Pad, medium hard green (5 pieces) - For cleaning heavy soiled floors and for deep cleaning.
□	6.369-077.0	Pad, hard black (5 pieces) - For polishing and refreshing of hard and elastic smooth floor coverings.
□	6.369-468.0	Pad, beige (5 pieces) - For polishing and refreshing of hard and elastic smooth floor coverings.
□	6.371-146.0	Pad, beige (natural fiber, 5 pieces) - For polishing and refreshing of hard and elastic smooth floor coverings.
□	4.777-401.0	Squeegee, 33.5" straight
□	5.035-488.0	Home base adapter
□	6.980-077.0	Double hook
□	4.035-406.0	Home base box kit
□	6.980-078.0	Mop clip
□	6.980-080.0	Bottle hook
□	4.070-075.0	Universal hook

■ Included □ Optional

B 60 W BP

Efficient and quiet. Everything you need.

The B 60 W Bp is the walk-behind scrubber built for efficiency from the ground up. Accomplish more with the same size staff with the impressive productivity of this machine. Choose between cylindrical, disc or orbital mechanics and various widths to suit your needs with our interchangeable scrub decks. The KIK system Choose setting for your operators with our innovative KiK key system.

Complete control

- 100% control of the speed of your scrub brushes allows you to balance scrubbing power, noise levels and power consumption.

Interchangeable decks

- Chose disc, cylindrical and orbital decks from 22 to 26 inches
- Each can be changed quickly and without tools.

Trim and fit

- Easily negotiate through narrow pathways with the B 60's slimline design.

TECHNICAL SPECS

		B 60 W BP				
+ brush head		**R 55**	**D 55**	**R 65**	**D 65**	**S 65**
Cleaning width	**in**	22	22	26	26	26
Working width, suction	**in**	33	33	37	37	37
Theoretical Productivity	**ft²/h**	23680	23680	27986	27986	23681
Fresh/dirty water tank capacity	**gal**	16 / 16	16 / 16	16 / 16	16 / 16	16 / 16
Max. water flow	**gal**	1	1	1	1	1
Max. speed	**rpm**	600-1300	180	600-1300	180	2000
Operating Noise Level	**dBA**	61-66	61-66	61-66	61-66	61-66
Dimensions (L x W x H)	**in**	59 x 26 x 45	58 x 26 x 45	60 x 29 x 45	60 x 29 x 45	57 x 28 x 45
Weight (with battery)	**lbs**	400	360	425	400	430

EQUIPMENT

Order No.	Description
9.841-171.0	B 60 W Bp, Walk-behind scrubber, includes 245 Ah batteries and charger, cleaning head sold separately
9.841-181.0	B 60 W Bp, Walk-behind scrubber, includes 230 Ah AGM batteries and charger, cleaning head sold separately
9.841-386.0	B 60 W Bp, 16 gallon, 245 Ah Low Maintenance Batteries, D 65 Brush Head
9.841-387.0	B 60 W Bp, 16 gallon, 230 Ah AGM Batteries, D 65 Brush Head
9.841-172.0	B 60 W Bp, Walk-behind scrubber, includes 245 Ah batteries and charger, R 65 head
9.841-173.0	B 60 W Bp, Walk-behind scrubber, includes 230 Ah AGM batteries and charger, R 65 head
9.841-174.0	B 60 W Bp, Walk-behind scrubber, includes 245 Ah batteries and charger, S 65 head
9.841-175.0	B 60 W Bp, Walk-behind scrubber, includes 230 Ah AGM batteries and charger, S 65 head

ACCESSORIES

	Order No.	Description
■	4.777-412.0	Suction bar, curved with rollers and polyurethane oil-resistant blades (37" / 940 mm)
■	5.035-488.0	Adapter homebase accessories
■	6.980-077.0	Double hook (requires 5.035-488.0)
□	4.035-386.0	Lid with tank rinsing system
□	4.035-345.0	Quick fill tank system (requires 9.083-003.0)
□	9.083-003.0	Hose coupling
□	6.273-214.0	Squeegee blade set, blue epdm
□	6.273-208.0	Squeegee blade set, oil resistant (standard w/ 4.777-412.0)
□	6.273-205.0	Squeegee blade set, anti stripe oil resistant
□	6.273-291.0	Squeegee blade set, for textured floors
□	4.035-472.0	New connection element for roller brush heads, B 60 W

B 80 W BP

This large scrubber easily goes anywhere.

The B 80 W BP scrubbers cover a lot of area quickly, but are still easily maneuverable. They feature a robust, interchangeable, maintenance-friendly scrub deck. Choose from cylindrical or disc in 22", 26", or 30" widths. Kärcher Fleet comes pre-installed on this machine to provide you with complete visibility of your machine.

You are in control

- 100% control of the speed of your scrub brushes allows you to balance scrubbing power, noise levels and power consumption.

Thoughtfully designed scrub decks

- Decks automatically raise and lower as necessary
- Interchangeable decks changed quickly and without tools.

Four color LCD screen

- Easily select your cleaning mode with the easy-to-read symbols on the large 4-color display

ecoEfficiency

		B 80 W BP	
INSTALLED WITH BRUSH HEAD:		**R 65**	**D 65**
Brush working width	**in**	26	26
Working width, squeegee	**in**	37	37
Theoretical Productivity	**ft²/hr**	27986	27986
Fresh/dirty water tank capacity	**gal**	21/21	21/21
Max. water flow	**gal**	2	2
Max. speed	**rpm**	600-1300	180
Weight (excluding battery)	**lbs**	282	289
Operating Noise Level	**dBA**	61-66	61-66
Dimensions (L x W x H)	**in**	61 x 29 x 45	62 x 29 x 45

EQUIPMENT

Order No.	Description
9.841-197.0	B 80 W Bp, Walk-behind scrubber, includes 225 Ah batteries and charger, cleaning head sold separately
9.841-202.0	B 80 W Bp, Walk-behind scrubber, includes 260 Ah batteries and charger, cleaning head sold separately
9.841-196.0	B 80 W Bp, 26" walk-behind scrubber, includes D 65 cleaning head, batteries and charger sold separately
9.841-195.0	B 80 W Bp, 26" walk-behind scrubber, includes R 65 cleaning head, batteries and charger sold separately
9.841-199.0	B 80 W Bp, Walk-behind scrubber, includes 255 Ah batteries and charger, cleaning head sold separately
9.841-388.0	B 80 W Bp, 21 gallon, w/ 225 AH batteries, D 65 brush head
9.841-204.0	B 80 W Bp, 21 gallon, w/ 260 AH batteries, D 65 brush head
9.841-198.0	B 80 W Bp, 26" walk-behind scrubber, includes R 65 cleaning head and 225 Ah batteries and charger
9.841-200.0	B 80 W Bp, 26" walk-behind scrubber, includes R 65 cleaning head and 255 Ah batteries and charger
9.841-201.0	B 80 W Bp, 26" walk-behind scrubber, includes D 65 cleaning head and 255 Ah batteries and charger
9.841-203.0	B 80 W Bp, 26" walk-behind scrubber, includes D 65 cleaning head and 260 Ah batteries and charger

ACCESSORIES

	Order No.	Description
■	4.777-412.0	Suction bar, curved with rollers and polyurethane oil-resistant blades (37" / 940 mm)
■	5.035-488.0	Adapter Homebase accessories
■	6.980-077.0	Double hook (requires 5.035-488.0)
□	8.600-251.0	Cable asm, bat. Jumper x 15" (required w/ no battery units)
□	4.035-345.0	Quick fill tank system (requires 9.083-003.0)
□	9.083-003.0	Hose coupling
□	6.273-205.0	Squeegee blade set, anti stripe oil resistant
□	6.273-291.0	Squeegee blade set, for textured floors

BD 50/70 R BP

NEW

Ride anywhere.

We designed the BD 50/70 R ride-on scrubber for tight congested areas that need maneuverability and productivity in one package. This value conscious machine will provide you with years of quality scrubbing without breaking the bank. Every aspect of this machine has been streamlined to provide the best scrubbing at the best price.

Slim and Compact

- At only 52 inches long, this is the most compact ride-on scrubber in our line-up.
- Even though it may be a smaller machine, it does not lack in productivity. It cleans at a rate of 26,910 ft²/hr.
- Compact size allows for easy turning and a clear view of the area you are cleaning.

User comfort

- Unlike many competitors, we created an ergonomic, comfortable machine that can be run for hours.
- High quality seat material is designed to be used for full shifts

TECHNICAL SPECIFICATIONS		BD 50/70 R BP
Cleaning path	**in**	20
Squeegee width	**in**	33
Brush speed	**rpm**	155
Run time (maximum)	**hr**	2.5
Sound level	**dBA**	66
Tank volume (fresh/dirty)	**gal**	18/20
Weight (empty)	**lbs**	251-428
Productivity (theoretical)	**ft²/hr**	26,900
Dimensions (L x W x H)	**in**	52 x 23 x 42

EQUIPMENT

Order No.	Item Description
9.841-434.0	BD 50/70 R Bp, brush, wet batteries
9.841-435.0	BD 50/70 R Bp, brush, AGM batteries
9.841-436.0	BD 50/70 R Bp, pad driver, wet batteries
9.841-437.0	BD 50/70 R Bp, pad driver, AGM batteries

ACCESSORIES

	Order No.	Item Description
■	4.035-182.0	Battery, 12 V / 105 Ah
■	6.654-329.0	Charger 100 – 240 V, 50 – 60Hz
■	4.905-026.0	Disc brush, medium grit, red, for general cleaning (standard on brush machines)
■	4.762-534.0	Pad driver, 19 inch, features a quick-change coupling and centerlock (standard on pad driver machines)
□	6.371-146.0	Pad, 20 inch, soft, natural hair, for polishing
□	6.369-468.0	Pad, 20 inch, soft, Light grit, suitable for polishing floors, beige
■	6.369-079.0	Pad, 20 inch, medium-soft, for cleaning all types of floors, red (standard on pad driver machines)
□	6.369-078.0	Pad, 20 inch, medium-hard, For removing stubborn dirt and deep cleaning, green
□	6.369-077.0	Pad, 20 inch, hard, for cleaning heavily soiled floors and for deep cleaning, black
□	4.905-029.0	Disc brush, hard, for stubborn dirt and deep cleaning. Only for hard-wearing surfaces, black
□	4.905-027.0	Disc brush, soft, made of natural fibers, for cleaning and polishing
□	4.905-028.0	Disc brush, very soft, for cleaning sensitive floors and polishing, white
□	6.371-271.0	Microfiber pad, 20 inch, excellent cleaning power
□	4.777-401.0	Squeegee, 33.5 inch, straight, made of oil-resistant, transparent polyurethane, for smooth floors
■	4.777-411.0	Squeegee, 33.5 inch, curved, made of oil-resistant, transparent polyurethane, for tiled floors

B 90 R ADV BP

Everything you could ever wish for

The ride-on B 90 R scrubber is everything you ever dreamed of. Features such as the working width, squeegee length, design and scrubber system can be selected to suit individual requirements. The machine is then tailor-made to suit your specific requirements.

Customize the B 90 for your needs

- Three working widths are available: 22", 26" and 30".
- Curved or straight squeegee bars are available.

Simple to operate and simple to maintain

- Everything is controlled by one easy-to-use switch
- Cylindrical brushes save water and detergent.
- The brush heads are easy to replace and do not require tools

Operate for

- Large battery capacity
- Two turbine power settings–save energy in the WHISPER setting.

EASY-Operation

FACT

TECHNICAL SPECIFICATIONS		B 90 R ADV BP
Brush working width	**in**	22/26/30
Working width, vacuum	**in**	37
Fresh/recovered water tank	**gal**	24/24
Performance practical†	**ft²/hr**	29,400
Performance max†	**ft²/hr**	42,000
Battery	**V**	24
Dimensions (L x W x H)	**in**	57 x 32 x 47
Weight *	**lbs**	331
Brush speed	**rpm**	625/980/1550
Noise level	**dBA**	75
Climbing ability	**%**	18

† In conjunction with R 65 head.

EQUIPMENT

Order No.	Description
9.841-389.0	B 90 R Adv Bp, 24 gal, 26 inch ride-on scrubber with (2) 12v 225 Ah, D 65 brush head
9.841-390.0	B 90 R Adv Bp, 24 gal, 26 inch ride-on scrubber with (4) 6v 255 Ah AGM, D 65 brush head
9.841-391.0	B 90 R Adv Bp, 24 gal, 26 inch ride-on scrubber with (4) 6v 312 Ah AGM, D 65 brush head
1.161-308.0	B 90 R Adv Bp, 26 inch ride-on scrubber, suction bar/squeegee, battery, charger and cleaning head sold separately
9.840-946.0	B 90 R Adv Bp, 24 gal, 26 inch ride-on scrubber with 225 Ah batteries, cleaning head sold separately
9.840-947.0	B 90 R Adv Bp, 24 gal, 26 inch ride-on scrubber with 255 Ah AGM batteries, cleaning head sold separately
9.840-948.0	B 90 R Adv Bp, 24 gal, 26 inch ride-on scrubber with 312 Ah AGM batteries, cleaning head sold separately
9.840-750.0	B 90 R Adv Bp, 24 gal, 26 inch ride-on scrubber with (2) 2V 225 Ah batteries with R 65 cleaning head
9.840-749.0	B 90 R Adv Bp, 24 gal, 26 inch ride-on scrubber with (4) 6V 255 Ah AGM batteries with R 65 cleaning head
9.840-912.0	B 90 R Adv Bp, 24 gal, 26 inch ride-on scrubber with (4) 6V 312 Ah AGM batteries with R 65 cleaning head

ACCESSORIES

	Order No.	Description
■	4.777-412.0	Suction bar, curved with rollers and polyurethane oil-resistant blades (37" / 940 mm)
□	6.273-214.0	Squeegee blade set, Blue EPDM
□	6.273-208.0	Squeegee Blade Set, oil resistant - standard w/ 4.777-412.0
□	6.273-205.0	Squeegee Blade Set, anti stripe oil resistant
□	6.273-291.0	Squeegee Blade Set, for textured floors
□	4.444-015.0	Suction hose accessories, for taking in water from corners (e.g. deep freezers)
□	2.641-364.0	Protection sensor accessory kit - increasing operating safety. The machine automatically reduces speed near objects.
□	4.744-162.0	Gym set, DIN 18032, reduces the pressure to the floor

■ Included □ Optional

CLEANING HEADS & BRUSHES

D-series heads

R-series heads

Different brush heads R (roller), D (disc) or S(with vibration technology) are available for different applications. Roller heads are ideal for stubborn dirt or structured surfaces. These are all fitted with a sweep tray. The S head plays a special role, in it allows very efficient stripping of floors. The brush heads can be easily replaced on the machine.

		Order No.	Description		B 40 C/W Bp	B 60 W Bp	B 80 W Bp	B 90 R Adv Bp
R 45								
	1	2.763-020.0	R 45 head, 18" / 450 mm Scrub Deck for Non-Traction Drive Machines (for C Units)		■			
	2	2.763-019.0	R 45 head, 18" / 450 mm Scrub Deck for Traction Drive Machines (for W Units)		■			
	3	4.762-392.0	Roller brush, Red General Purpose (Included with Scrub Deck)		■			
	4	4.762-405.0	Roller brush, Soft, White		■			
	5	4.762-406.0	Roller brush, Hi-Low, Orange		■			
	6	4.762-407.0	Roller brush, Aggressive, Green		■			
	7	4.762-408.0	Roller brush, Very Aggressive, Black		■			
	8	4.762-413.0	Roller Pad Shaft (Required for all brushes below)		■			
	9	4.114-009.0	Microfiber Roller		■			
	10	6.367-105.0	Roller pad, Yellow (Soft)		■			
	11	6.367-107.0	Roller pads, Red, General Purpose		■			
		6.367-108.0	Roller pad, White, (Very Soft) for High-Gloss Floors		■			
	12	6.367-106.0	Roller pad, Green (Hard & Aggressive)		■			
D 43								
	13	2.763-023.0	D 43 head, 17" / 432 mm Scrub Deck for all Battery-Powered B 40 units		■			
		4.762-533.0	Pad Driver Board		■			
		6.905-526.0	Microfiber Pad		■			
		4.905-023.0	Disc brush, Natural Fibers		■			
		6.369-470.0	Disc pad, Red (General Purpose/Standard)		■			
		4.905-022.0	Disk brush, Red 17"		■			
		4.905-024.0	Disc brush, White 17"		■			
		4.905-025.0	Disc brush, Black 17"		■			
		6.369-472.0	Disc pad Green (Aggressive)		■			
		6.369-473.0	Disc pad Black (Very Aggressive)		■			
		6.369-469.0	Disc pad White (Soft)		■			
		6.371-081.0	Disc pad Beige (Light Aggregate)		■			
		6.371-149.0	Disc pad, Party Natural		■			
S 65								
	14	2.763-030.0	S 65 Brush Head, Oscillating Scrub Deck, 26"			■	■	■
		4.036-063.0	S 65 Orbital Head Connection Kit, required for connecting S 65 orbital, B 60 and B 80 units (Required)			■	■	
		4.036-061.0	S 65 Orbital Head Connection Kit, required for connecting S 65 orbital, B 90 Units (Required)					■
	15	8.635-789.0	Pad, S65 Surface Prep, Package of 5			■	■	■
	16	8.635-788.0	Pad, S65, Red Package of 5			■	■	■
		8.635-836.0	Pad, S65, White Package of 5			■	■	■

CLEANING HEADS & BRUSHES

1, 2

3, 17

4, 18, 25

5, 19, 26

6, 20, 27

7, 21, 28

8, 22

9, 23

10, 24

11

12

13

14

15

16

17

	ORDER NO.	Description	B 40 C/W BP	B 60 W BP	B 80 W BP	B 90 R ADV BP
R 55						
16	2.763-013.0	R 55 head, 22" / 550mm Scrub Deck for Non-Traction Drive Machines (for B 40 C Units)	■			
	2.763-011.0	R 55 head, 22" / 550mm Scrub Deck for Traction Drive Machines (for B 40 W Units)	■			
17	4.762-393.0	Roller brush red 22" (included with Scrub Deck)	■			
18	4.762-409.0	Roller brush white 22"	■			
19	4.762-410.0	Roller brush orange 22"	■			
20	4.762-411.0	Roller brush green 22"	■			
21	4.762-412.0	Roller brush black 22"	■			
22	4.762-415.0	Roller pad shaft 22"	■			
	8.635-692.0	Roller, stripping 22"	■			
23	4.114-010.0	Microfiber Roller 22"	■			
24	6.369-732.0	Pad yellow with sleeve 22"	■			
	6.369-734.0	Pad red with sleeve 22"	■			
	6.369-735.0	Pad white with sleeve 22"	■			
	6.369-733.0	Pad green with sleeve 22"	■			
	2.763-002.0	R 55 head, Cylindrical, 22"		■		■
25	6.906-977.0	Roller brush, White, Soft		■		■
	6.906-934.0	Roller brush, Red, Standard with R 55 head		■		■
26	6.906-978.0	Roller brush, Orange, Hi-Lo Grout Brush		■		■
27	6.906-979.0	Roller brush, Green, Hard		■		■
28	6.906-980.0	Roller brush, Black, Very Aggressive		■		■
	8.635-692.0	Roller, stripping 22"		■		■
	4.762-415.0	Roll pad BR55		■		■
	4.762-432.0	Roller pad Shaft		■		■
	6.369-389.0	White Roller Pad X 20 Extra Soft (Machine requires 2 X 48 and 4.763-432.0)		■		■
	6.369-454.0	Yellow Roller Pad Soft, set of 20 (Machine requires 2 X 48 and 4.762-433.0)		■		■
	6.369-455.0	Green Roller Pad Hard, set of 20 (Machine requires 2 X 48 and 4.762-433.0)		■		■
	6.369-456.0	Red Roller Pad Medium, set of 20 (Machine requires 2 X 48 and 4.762-433.0)		■		■

CLEANING HEADS & BRUSHES

		ORDER NO.	Description	PRICE	B 40 C/W BP	B 60 W BP	B 80 W BP	B 90 R ADV BP
R 65								
	29	2.763-004.0	R 65 Brush Head, Cylindrical, 26”			■	■	■
	30	6.906-981.0	Roller Brush, White, Soft			■	■	■
	31	6.907-414.0	Roller Brush, Red, (standard with R 65 head)			■	■	■
	32	6.906-982.0	Roller Brush, Orange, Hi-Lo Grout Brush			■	■	■
	33	6.906-983.0	Roller Brush, Green, Hard			■	■	■
	34	6.906-984.0	Roller Brush, Black, Very Aggressive			■	■	■
		4.762-433.0	Roller Pad Shaft			■	■	■
		6.369-389.0	White Roller Pad X 20 Extra Soft (Machine requires 2 X 48 and 4.763-432.0)			■	■	■
		6.369-454.0	Yellow Roller Pad Soft, set of 20 (Machine requires 2 X 48 and 4.762-433.0)			■	■	■
		6.369-455.0	Green Roller Pad Hard, set of 20 (Machine requires 2 X 48 and 4.762-433.0			■	■	■
		6.369-456.0	Red Roller Pad Medium, set of 20 (Machine requires 2 X 48 and 4.762-433.0)			■	■	■
R 75								
	35	2.763-006.0	R 75 Brush Head, Cylindrical, 30”				■	■
	36	6.906-985.0	Roller brush, White, Soft				■	■
		6.907-415.0	Roller brush, Red, Standard with R 75 Head				■	■
	37	6.906-986.0	Roller brush, Orange, Hi-Lo Grout Brush				■	■
	38	6.906-987.0	Roller brush, Green, Hard				■	■
	39	6.906-988.0	Roller brush, Black, Very Aggressive				■	■
		4.762-434.0	Roller Pad Shaft				■	■
		6.369-389.0	White Roller Pad X 20 Extra Soft (Machine requires 2 X 53 and 4.763-432.0)				■	■
		6.369-454.0	Yellow Roller Pad X 20 Soft (Machine requires 2X 53 and 4.762-434.0)				■	■
		6.369-455.0	Green Roller Pad X 20 Hard (Machine requires 2X 53 and 4.762-434.0)				■	■
		6.369-456.0	Red Roller Pad X 20 Medium (Machine requires 2X 53 and 4.762-434.0)				■	■
D 55								
	40	2.763-001.0	D 55 Brush Head, Disc Head, 22”			■		■
		4.905-015.0	Disc Brush, White - Soft			■		■
		4.905-016.0	Disc Brush, Natural Bristles			■		■
		4.905-014.0	Disc Brush, Red, Standard with D 55 head			■		■
		4.905-017.0	Disc Brush, Black - Very Aggressive			■		■
		4.762.445.0	Pad Driver			■		■
		6.371-153.0	Disc Pad, Red (Soft)			■		■
		6.371-154.0	Disc Pad, Green (Medium)			■		■
		6.371-155.0	Disc Pad, Black (Hard)			■		■
D 65								
	41	2.763-003.0	D 65 Brush Head, Disc Head, 26”			■	■	■
		4.905-011.0	Disc Brush, White - Soft			■	■	■
		4.905-012.0	Disc Brush, Natural Bristles			■	■	■
		4.905-010.0	Disc Brush, Red, Standard with D 65 head			■	■	■
		4.905-013.0	Disc Brush, Black - Very Aggressive			■	■	■
		4.762-446.0	Pad Driver			■	■	■
		6.369-003.0	Disc Pad, Red (Soft) set 5x			■	■	■
		6.369-002.0	Disc Pad, Green (Medium) set 5x			■	■	■
		6.369-001.0	Disc Pad, Black (Hard) set 5x			■	■	■
		6.369-959.0	Disc Pad, White (Microfiber)			■	■	■
D 75								
	49	2.763-005.0	D 75 Brush Head, Disc Head, 30”				■	■
		4.905-019.0	Disc Brush, White - Soft				■	■
		4.905-020.0	Disc Brush, Natural Bristles				■	■
		4.905-018.0	Disc Brush, Red, Standard with D 75 head				■	■
		4.905-021.0	Disc Brush, Black - Very Aggressive				■	■
		4.762-447.0	Pad Driver				■	■
		6.369-791.0	Disc Pad, Red (Soft)				■	■
		6.369-790.0	Disc Pad, Green (Medium)				■	■
		6.369-789.0	Disc Pad, Black (Hard)				■	■
		6.371-078.0	Disc Pad, White (Microfiber)				■	■

EB 30/1

The quick clean-up tool.

This ultra-quiet and compact sweeper is perfect for quick cleanups in busy and crowded areas. The rechargeable battery pack ensures safety by eliminating trip hazards. They are built to handle small cleaning jobs in professional working environments.

Designed for high-traffic environments

- Cordless electric sweeper designed for commercial applications.
- Flexible and professional interim cleanup
- Powerful, rechargeable battery provides for up to 45 minutes of operation on hard surface, and up to 30 minutes on carpet.
- Extremely quiet operation allows for cleaning even during business hours, making it ideal for use in noise sensitive areas

User-friendly

- Innovative universal joint with parking position.
- Large, non-marking soft grip wheels
- Optional high-speed battery charger available for complete charging in 50 minutes.

TECHNICAL SPECIFICATIONS		EB 30/1
Cleaning path	in	12
Container capacity	in³	67
Operating noise level	dBA	56
Battery runtime	min	30-45
Standard battery charge time	hr	12

EQUIPMENT

Order No.	Description
1.545-121.0	EB 30/1, twelve inch Ni-Cad battery-operated sweeper

ACCESSORIES

	Order No.	Description
■	4.654-259.0	Ni-Cad battery
■	6.646-670.0	Battery charger
■	4.762-400.0	Replacement Roller Brush, Packaged
□	6.654-197.0	High Speed Battery Charger
□	4.762-401.0	Roller Brush, Hard

■ Included □ Optional

KM 70/20 C

Superior performance with manual power.

Speedy sweeping and painless maintenance rolled into one convenient package. This sweeper provides superior sweeping performance in a compact manual push sweeper. It is built to be rugged and durable for long life.

Fast and efficient

- Push sweepers are the easy way to clean paths, halls, sidewalks and warehouses quickly and conveniently.
- Main roller brush is driven by both wheels so that it sweeps equally well in either right or left turns.

Built to last

- Rugged metal pinion drive for long life.
- Durable design

Easy to use

- Height of roller brush can be easily adjusted in five positions by a knob on the handle.

TECHNICAL SPECIFICATIONS		KM 70/20 C
Productivity (practical)	**ft²/hr**	30,000
Cleaning path	**in**	28
Container capacity	**gal**	11
Operating noise level	**dBA**	69
Weight	**lbs**	50.7
Dimensions (L x W x H)	**in**	51.2 x 30.14 x 40.7

EQUIPMENT

Order No.	Description
1.517-106.0	KM 70/20 C, twenty eight inch walk-behind sweeper
1.517.107.0	KM 70/20 C 2SB, twenty eight inch walk-behind sweeper, dual brushes

ACCESSORIES

	Order No.	Description
■	6.966-005.0	Standard side broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces. Broom only.
■	6.906-041.0	Standard roller broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.
■	4.040-772.0	Dust Filter
□	2.640-908.0	Litter picker - for picking up waste
□	6.906-041.0	Main Broom for Radius Manual Sweeper
□	6.966-005.0	Side Broom for Radius Manual Sweeper

■ Included □ Optional

KM 70/30 C BP ADV

Efficient sweeping on hard or soft floors.

Fast and efficient for sweeping indoors or outdoors–on hard floor or carpet for those that need to get the job done right the first time. Rely on the KM 70/30 C Bp Adv to make quick work of any sweeping needs with its highly productive electronic driven broom. It also features active dust control for optimum air quality. User-friendly features such an easy adjust broom height and an adjustable handle height make this a popular machine with those who use it.

Productive sweeping

- Delivers fast, efficient sweeping for hard and soft floor surfaces
- 28 inch cleaning path

We thought of you

- For a wide range of applications indoors and outdoors, with a particularly quiet battery drive system at 69 dBA.
- Features Active Dust Control with a separate fan and flat pleated filter for dustless sweeping indoors
- Simple adjustment of the main roller broom and side broom.

TECHNICAL SPECIFICATIONS		KM 70/30 C BP ADV
Productivity (practical)	**ft²/hr**	30,800
Cleaning path	**in**	28
Container capacity	**gal**	11
Operating noise level	**dBA**	69
Brush	**in**	19
Electrical system		12V 26 A/H
Weight	**lbs**	105.8
Dimensions (L x W x H)	**in**	48.8 x 28 x 45.2

EQUIPMENT

Order No.	Description
1.517-218.0	KM 70/30 C Bp Adv, twenty eight inch walk-behind sweeper

ACCESSORIES

	Order No.	Description
■	6.966-005.0	Standard side broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.
■	6.906-041.0	Standard roller broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.
■	6.904-367.0	Flat Filter, Kärcher OEM
□	2.640-908.0	Litter picker - for picking up waste
□	5.731-625.0	Filter element - plastic filter, water resistant, washable, saves maintenance costs
□	6.904-367.0	Flat filter - Kärcher OEM
□	6.907-041.0	Standard roller broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.
□	6.966-005.0	Standard side broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.

■ Included □ Optional

KM 75/40 W BP

Self-propelled for increased productivity.

Big enough to get the job done, but maneuverable to clean congested areas, count on the KM 75/40 W Bp for your sweeping needs. This machine provides the versatility to clean anywhere– carpet or hard floors, indoors or out. We built it to perform day in and day out in the toughest commercial applications.

Highly productive

- Cleans effectively indoors and out for increased versatility
- Self-propelled, 30 inch cleaning path for increased productivity
- Easy to understand controls increase operator effectiveness
- Over throw sweeping system with an easily removed hopper make emptying quick and efficient

Improved air quality

- Active dust control system provides better air quality
- Air is vacuumed through a high-efficiency automotive style filter
- Manual filter shaker for easy cleaning and consistent results
- Wet-sweep bypass for cleaning wet surfaces

		KM 75/40 W BP
TECHNICAL SPECIFICATIONS		
Productivity (practical)	**ft²/hr**	36,300
Cleaning path	**in**	30
Container capacity	**gal**	10.5
Operating noise level	**dBA**	64
Brush	**in**	22
Electrical system		2 x 12V 70 A/H AGM batteries
Weight	**lbs**	172
Dimensions (L x W x H)	**in**	56 x 30 x 46.5

EQUIPMENT

Order No.	Description
9.840-739.0	KM 75/40 W Bp, thirty inch walk-behind sweeper

ACCESSORIES

	Order No.	Description
■	8.631-173.0	Battery, 12V AGM 70 Ah
■	8.629-377.0	Charger, 24V 25A AGM C50
■	6.905-626.0	Side Broom, KM Soft Bristle
■	6.906-884.0	Main Broom, KM 75/40W Bp
■	5.731-635.0	Filter, KM 75/40W Bp
□	6.905-625.0	Side Broom, KM, Hard for Difficult/Heavy-duty cleaning
□	6.906-885.0	Side Broom, Radius 300
□	6.906-950.0	Anti-Static Rolling Brush
□	2.641-571.0	Carpet Sweeping Kit (includes fluff filter, anti-static roller brush and triple caster)
□	5.731-635.0	Flat pleated filter - plastic filter, water resistant, washable, reduces maintenance costs
□	6.906-884.0	Standard roller broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.
□	6.906-886.0	Main roller broom, soft/natural - specifically designed with natural bristles for sweeping fine dust on smooth indoor floors.

■ Included □ Optional

KM 90/60 R BP ADV

Built for tough environments.

Sweep large areas quickly with this highly maneuverable, ride-on sweeper that increases productivity and safety. This machine cleans multiple surfaces, from tough industrial flooring to soft carpet. Its innovative TACT filter cleaning system extends the filter life, saving you money.

Highly productive sweeping

- Automatic, continuous sweeping
- Overthrow sweeping

Just for you

- Large, heavy-duty pneumatic rear tires improve ride comfort
- Large debris capacity is split into two easy-to-dump hoppers.
- No tool main broom and filter removal

Safety focused

- Vacuum dust control for air quality
- Highly maneuverable for effective sweeping in congested areas

TECHNICAL SPECIFICATIONS		KM 90/60 R BP ADV
Productivity (practical)	**ft²/hr**	47,520
Cleaning path (1 broom/2 brooms)	**in**	36/45
Brush	**in**	24
Container capacity	**gal**	16
Operating noise level	**dBA**	71
Weight	**lbs**	782
Dimensions (L x W x H)	**in**	64 x 38.5 x 49.5

EQUIPMENT

Order No.	Description
9.841-248.0	KM 90/60 R Bp Adv, thirty six inch ride-on sweeper
9.841-247.0	KM 90/60 R Bp Adv 2SB, forty five inch ride-on sweeper with dual side brushes
9.841-247.0	KM 90/60 R Bp Adv, thirty six inch ride-on sweeper
9.841-249.0	KM 90/60 R Bp Adv 2SB, forty five inch ride-on sweeper with dual side brushes

ACCESSORIES

	Order No.	Description
■	4.762-430.0	Main broom
■	6.906-132.0	Side broom
■	6.907-352.0	Flat Filter
□	5.035-488.0	Adapter Homebase - to mount different hooks and clips to the machine
□	6.980-078.0	Holder gray/mop clip - used to fix a mop or broom to the machine (order also Homebase adapter)
□	6.980-080.0	Holder bottle clip
□	6.907-023.0	Anti-Static Rolling Brush
□	4.762-443.0	Main Roller Brush, Hard
□	4.762-442.0	Main Roller Brush, Soft/Natural
□	6.905-625.0	Side Brush, Hard
□	2.642-693.0	Side Brush Kit, Left
□	2.641-665.0	Carpet Sweeping Kit (Includes Anti-Static Rolling Brush)
□	2.642-989.0	Warning beacon revolving signal light
□	6.414-532.0	Round filter - plastic filter, water-resistant, washable, saves maintenance costs. (fits previous KM 90/60 R Bp without TACT)
□	6.906-533.0	Main roller brush, soft/natural - with natural bristles, ideal for sweeping fine dust on smooth surfaces both indoors and outdoors.
□	8.628-341.0	Battery, 12V, 215 Ah, low-maintenance
□	8.622-843.0	Battery, 12V, 234 Ah, AGM

■ Included □ Optional

CVU HEPA

Designed for dependability and serviceability.

The CVU HEPA vacuums are the market leaders in cleaning performance and reliability. HEPA final stage filtration is standard for optimal indoor air quality. These quiet and lightweight vacuums are built for daytime cleaning in noise-sensitive environments. These lightweight and quiet vacuums are built for the performance needs of hospitality, education, healthcare and senior living markets.

HEPA final stage filtration

- HEPA filter standard for better indoor air quality.

Best warranty in it's class

- 3-year "bumper to handle" warranty, provides you the best protection the industry has to offer.

Reliability

- All electronics located in the base of unit, eliminating wear on swivels and connectors, improving reliability and serviceability.

TECHNICAL SPECIFICATIONS		CVU HEPA
Cleaning path	**in**	12-14
Air flow rate	**cfm**	105
Brush motor	**hp**	1.6
Brush speed	**rpm**	2,700
Max. power rating	**W**	1,230
Operating noise level	**dBA**	69
Container capacity	**gal**	1.4
Power cord	**ft**	40
Weight	**lbs**	20
Dimensions (L x W x H) (12"/14")	**in**	11 x 12 x 46/11 x 14 x 46

EQUIPMENT

Order No.	Description
1.012-595.0	CVU 30/1 HEPA, twelve inch single-motor commercial upright vacuum
1.012-591.0	CVU 36/1 HEPA, fourteen inch single-motor commercial upright vacuum
1.012-592.0	CVU 46/1 HEPA, eighteen inch single-motor commercial upright vacuum

ACCESSORIES

	Order No.	Description
■	8.600-522.0	Sensor MicroFilter™ 0.3 micron Sensor Air Quality MicroFilter™
■	8.639-454.0	HEPA filter
■	8.631-930.0	Crevice tool (black)
■	8.631-929.0	Upholstery tool (black)
■	8.613-769.0	Sensor Extension Hose Sensor Extension Hose
□	8.639-785.0	25 ft cord (yellow)
■	8.639-756.0	40 ft cord (yellow)
■	8.639-763.0	12" brush strip 12" (standard on Sensor S2 12 HEPA)
■	8.600-244.0	14" brush strip 14" (standard on Sensor S2 14 HEPA)
■	8.600-164.0	18" brush strip (standard on CVU 46/1 HEPA)
□	8.600-050.0	Package of 10 Sensor Dust Bags Package of 10
□	9.840-643.0	Case of 250 Sensor Bags Case of 25 packs of 10 Sensor Dust Bags (total count = 250)
□	8.614-090.0	Sensor Demonstration Dirt Scope
□	8.628-474.0	Dusting Brush Kit Includes: Dusting Brush and Holding Clip to mount on handle

■ Included □ Optional

CV 300 & CV 380

The sanitary choice that lasts.

Many of our competitors sell low-cost upright vacuums, the only problem is that they fall apart quickly and then you are left with another broken vac to toss in the dump. If you are tired of throwing away your money then consider our CV 300 & CV 380 upright vacuums. The CV 300 and CV 380 provide power, reliability, and clean air quality all for a price that will not break the bank. This model features a traditional non-steerable joint between the base and the body for ergonomics and all-day usability.

Sturdy and robust

- Built to last for years. The reliable, affordable upright vac.
- Lower total cost of ownership

Breath easier

- CRI approved for cleaner, healthier carpets

Simple to use and maintain

- Lightweight and easy to maneuver through tight spaces

TECHNICAL SPECIFICATIONS		CV 300	CV 380
Productivity (practical)	**ft²/hr**	3,104	3,881
Brush Motor	**hp**	0.24	0.24
Brush Speed	**rpm**	2700	2700
Cable	**ft**	40	40
Dust Bag, triple layer	**l**	3.5	3.5
Handle Weight	**lbs**	2.6	2.6
Height	**in**	48	48
Shipping Weight	**lbs**	19.6	20
Sound Level	**dBA**	69.5	70.0
Vacuum Motor	**hp**	1.4	1.4
Vacuum Motor Airflow	**cfm**	102	102
Vacuum Motor Water Lift	**in**	92	92
Weight with cord	**lbs**	17	17
Wheels diameter, rubberized	**in**	2	2
Working Width	**in**	12	15

EQUIPMENT

Order No.	Item Description
1.012-059.0	CV 300, twelve inch dual-Motor Upright Vacuum
1.012-060.0	CV 380, fifteen inch Dual-Motor Upright Vacuum

ACCESSORIES

	Order No.	Item Description
☐	8.600-495.0	Brush for 12" CV 300
☐	8.613-849.0	Brush for 15" CV 380
☐	8.628-479.0	Filter, Dust Bags, 3-Ply, Package of 10
■	8.632-214.0	Filter, Exhaust
☐	8.633-398.0	Filter Bag, Package of 10
■	8.628-477.0	Filter, Motor
■	8.630-933.0	Filter, Vacuum Fan Exhaust Filter
☐	8.634-975.0	Tool, 20" Extension Tool
☐	8.632-244.0	Tool, Clips for tools, Dark Gray
☐	8.632-245.0	Tool, Crevice Tool, Dark Gray
☐	8.614-100.0	Tool, Dusting Brush, Dark Gray
☐	8.614-629.0	Tool, Upholstery Nozzle, Dark Gray
☐	8.604-147.0	Tool, Vacuum Tools Kit (Crevice Nozzle, Upholstery Nozzle, and Mounting Clip)

■ Included ☐ Optional

NT 35/1 TACT

Efficient vacuum cleaners.

These powerful vacuum cleaners pick up coarse dirt and liquids as well as large quantities of fine dust. Tact, the fully automatic cleaning system, cleans the filter with strong air blasts. Ideal for long periods of uninterrupted use and constant high suction power.

Tact system (Auto Filter Clean System)

- Blasts of air clean the filter resulting in lower maintenance costs and a longer filter life ultimately saving you money.

On-board accessory storage

- On-board storage for all accessories, includes two hooks for the suction hose and power cord.

Convenient and easy-to-use

- No filters to install or remove
- Electronic tank level monitor

		NT 35/1 TACT
TECHNICAL SPECIFICATIONS		
Container capacity	**gal**	9.2
Vacuum motor	**amp**	8
water lift	**in**	88
Max. power rating	**W**	1,265
Filtration system		TACT
Cable length	**ft**	25
Hose length & diameter	**in**	96 x 1.37
Air flow rate	**cfm**	120
Operating noise level	**dBA**	67
Weight	**lbs**	25.3
Dimensions (L x W x H)	**in**	20.4 x 15 x 22.8

EQUIPMENT

Order No.	Description
1.184-854.0	NT 35/1 TACT, 9-gallon wet/dry vacuum with TACT

ACCESSORIES

	Order No.	Description
■	6.904-210.0	NT 35/1 Paper Filter Bag 5-Pack (1 included with Machine)
■	6.904-367.0	NT 35/1 & NT 45/1 Standard Dust Filter
■	6.903-284.0	Floor Tool
■	6.900-514.0	Suction Tube DN35
■	5.031-718.0	Elbow
■	6.906-240.0	Crevice Nozzle, 1.4” (35 mm)
■	4.440-626.0	Suction Hose C DN35 8'
■	5.453-042.0	Sleeve Tool

■ Included ☐ Optional

NT 45/1 TACT

Rugged dependability that gets the job done.

The NT 45/1 TACT has the power to get the job done. The motor of the machine has no carbon brushes–ideal for the rigors of industrial use. If features a life expectancy of over 5,000 hours.

Convenience you need

- Large wheels and front swivel casters for easy maneuverability.
- Self-cleaning filter with our TACT system
- Drain hose allows user to empty unit directly into a drain.

Feature rich

- Metal wand, floor tool, crevice tool, and washable nylon filter are included with each NT wet/dry vacuum.
- Crush resistant hose stows conveniently on top for storage.

		NT 45/1 TACT
TECHNICAL SPECIFICATIONS		
Container capacity	**gal**	11.9
Vacuum motor	**amp**	8
water lift	**in**	88
Max. power rating	**W**	1,265
Filtration system		TACT
Cable length	**ft**	25
Hose length & diameter	**in**	96 x 1.37
Air flow rate	**cfm**	120
Operating noise level	**dBA**	67
Weight	**lbs**	27.5
Dimensions (L x W x H)	**in**	20.4 x 15 x 27

EQUIPMENT

Order No.	Description
1.145-834.0	NT 45/1 Tact, 12-gallon wet/dry vacuum with TACT

ACCESSORIES

	Order No.	Description
■	6.904-208.0	NT 45/1 Paper Filter Bag 5-Pack (1 included with Machine)
■	6.904-367.0	NT 35/1 & NT 45/1 Standard Dust Filter
■	4.440-626.0	Suction Hose C DN35 8'
■	6.903-284.0	Floor tool DN35
■	5.031-718.0	Elbow
■	6.900-514.0	Suction Tube, 1.4" (35 mm) X 1.6' (0.5 m)
■	6.906-240.0	Crevice Nozzle, 1.4" (35 mm)

■ Included □ Optional

NT 48/1

A tough and versatile clean.

This NT 48/1 is the tough and versatile wet/dry vacuum built to handle difficult wet or dry dirt. This vac is the machine that will stand up to tough everyday use. The optional front mounted squeegee provides even more productive water pickup. It is easy to transport from site to site with it's large rear wheels and front casters as well as an easy to grip handle. The large filter provides impressive suction power and long work intervals improving your productivity.

Portable

- Mobile, all-purpose wet/dry vacuum for small to medium jobs and multiple locations
- Integrated handle ensures easy and comfortable transport.

Real-world convenience

- Optional front mounted squeegee for more productive pickup.

Rugged and Powerful

- Big wheels and metal casters with brakes for heavy-duty use.

TECHNICAL SPECIFICATIONS		NT 48/1
Cleaning path	**in**	12
Air flow	**cfm**	142
Container capacity	**gal**	12
Power cord	**ft**	25
Vacuum motor	**hp**	1.8, with 80 inch water lift
Weight	**lbs**	22
Dimensions (L x W x H)	**in**	19 x 15.3 x 30.3

EQUIPMENT

Order No.	Description
1.428-623.0	NT 48/1, 13-gallon wet/dry vacuum

ACCESSORIES

	Order No.	Description
■	6.414-789.0	Cylindrical Dust Filter
■	6.904-285.0	Paper Filter Bag (5-Pack, 1 Bag Included with Machine)
■	6.906-512.0	All-Purpose Nozzle
■	6.900-385.0	8.3" (270 mm) All Purpose Crevice Nozzle
■	4.440-626.0	8' X 35 mm Hose with Comfortable Hand Grip
■	6.900-514.0	1.6' (0.5 m) Metal Suction Tube (35 mm ID)
■	6.906-240.0	Crevice Nozzle, DN35
□	6.904-211.0	Wet Filter Bag
□	6.906-384.0	14.6" (370 mm) Aluminum All-Purpose Nozzle with Height-Adjustable Rollers, Brush Strips and Oil Resistant Squeegees
□	6.906-513.0	10.2" (360 mm) Plastic All-Purpose Nozzle with Height-Adjustable Rollers, Brush stripes and Rubber Lips
□	6.906-554.0	14.2" (370 mm) Plastic All-Purpose Head with Rollers, Brush Strips and Standard Squeegee
□	6.906-383.0	17.7" (450 mm) Aluminum All-Purpose Head with Height-Adjustable rollers, Brush Stripes and oil-resistant Squeegees
□	2.860-113.0	6.3" (160 mm) Turbo Nozzle, Plastic with Reducer 35/32
□	2.860-114.0	10.6" (270 mm) Turbo Nozzle, Plastic with Reducer 35/32
□	6.903-033.0	11.4" (290 mm) Crevice Tool
□	6.900-233.0	4.7" (120 mm) Plastic Upholstery Nozzle, 35 mm ID
□	6.903-034.0	Radiator Brush for use with 6.900-385.0
□	6.903-035.0	Plastic, Pipe Diameter 3.9" (100 mm)
□	6.903-862.0	Suction Brush, Natural Hair, Pivotable, 35 mm ID
□	2.860-116.0	Nozzle Set, Crevice Tool, Upholstery Tool, Round Brush, 35 mm ID
□	2.863-147.0	All-Purpose Brush, Soft Bristles 35 mm ID
□	8.622-960.0	Replacement squeegee for Recover 12 w/ Squeegee

■ Included □ Optional

NT 65/2

Built tough for your professional needs.

The NT 65/2's to two powerful motors, patented filter system, semi-automatic filter cleaning and large container capacity provide you with constant suction power to get the job done right.

On-board storage area

- Large on-board storage area for tools and accessories.

Integrated oil-resistant drainage hose

- Easily accessible drainage hose for convenient and safe solution disposal

Convenient features

- Self-cleaning filter
- No filters to install or remove
- Electronic tank level monitor

TECHNICAL SPECIFICATIONS		NT 65/2
Container capacity	**gal**	17.2
Vacuum motor	**amp**	18
water lift	**in**	88
Max. power rating	**W**	1,265
Filtration system		Power filter clean
Cable length	**ft**	33
Hose length & diameter	**in**	144 x 1.37
Air flow rate	**cfm**	229
Operating noise level	**dBA**	74
Weight	**lbs**	41.9
Dimensions (L x W x H)	**in**	23.6 x 18.9 x 36.2

EQUIPMENT

Order No.	Description
1.325-104.0	NT 65/2, 17-gallon wet vacuum with 24" front squeegee, with tools

ACCESSORIES

	Order No.	Description
■	6.904-285.0	NT 65/2 NT Paper Filter Bag 5-Pack (1 included with Machine)
■	6.906-512.0	All-Purpose Nozzle
■	6.900-514.0	1.6' (0.5 m) Metal Suction Tube (35 mm ID)
■	4.440-626.0	Suction Hose C DN35, 8'
■	6.900-514.0	Suction Tube, 1.4" (35 mm) X 1.6' (0.5 m)
■	6.906-240.0	Crevice Nozzle, 1.4" (35 mm)
■	6.906-554.0	14.2" (360 mm) X 1.6" (40 mm) ID All-Purpose Floor Tool Plastic with Rollers, Brush Strips and Standard Squeegee
■	6.903-033.0	11.4" (290 mm) Crevice Tool
■	6.902-081.0	1.6' (0.5 m) Metal Suction Tube (40 mm ID) Stainless Steel
■	6.906-321.0	1.6" (40 mm) X 13' (4 m) Suction Hose with Clip Connections
☐	6.904-364.0	NT 65/2 NT HEPA Dust Filter Element
☐	2.637-595.0	Universal Accessory Kit (Includes 3M Suction Hose, 2 Metal Extensions, 1 Angle, 1 ll-Purpose Tool, 1 Crevice Tool, 1 Upholstery Tool, 1 Carpet/Hard Floor Tool, 1 Floor Tool for Wet Pick-Up)
☐	2.637-352.0	Building Kit (Includes 4M Suction Hose, 2 Metal Extensions, 1 Angle, 1 Crevice Tool, 1 Floor Tool)
☐	2.637-353.0	Professional Cleaning Kit (Includes 4M Suction Hose, 2 Metal Extensions, 1 Bend, 1 Crevice Tool, 1 Floor Tool with Rollers)

■ Included ☐ Optional

NT 68/1

Utility with ease.

Easily tackle medium to large jobs with this wet/dry vac. Designed with a robust 1.8 hp vac motor to handle any task you throw at it. If even more productivity is desired, the optional front mounted squeegee makes quick work of water recovery. Thoughtful features such as no-tipping dumping and on-board storage make this the operator's choice for wet/dry vacs.

Performance

- Optional front-mounted squeegee offers more productive water pick-up
- 18 gallon capacity offers easy mobility for medium to large jobs in a variety of locations

Thoughtful design

- Easy to use, train and operate
- Complete with on-board tool storage compartment with safety sign storage bracket
- Self-adjusting squeegee assembly

TECHNICAL SPECIFICATIONS		NT 68/1
Vacuum motor	**hp**	1.8, with 80 inch water lift
Air flow	**cfm**	142
Container capacity	**gal**	18
Power cord	**ft**	50
Squeegee width	**in**	24.5
Weight	**lbs**	64
Dimensions (L x W x H)	**in**	35.5 x 24.5 x 37.5

EQUIPMENT

Order No.	Description
1.103-494.0	NT 68/1, eighteen gallon wet/dry vacuum with 24" front squeegee, with tools
1.103-495.0	NT 68/1, eighteen gallon wet/dry vacuum with 24" front squeegee
1.103-021.0	NT 68/1, eighteen gallon wet/dry vacuum

ACCESSORIES

	Order No.	Description
☐	5.731-595.0	Wet Filter for Recover 18
☐	6.414-789.0	Cylindrical Dust Filter
☐	6.904-285.0	Paper Filter Bag (5-Pack, 1 Bag Included with Machine)
☐	6.900-385.0	8.3 inch All Purpose Crevice Nozzle
☐	6.906-240.0	Crevice Nozzle, DN35
☐	6.906-384.0	14.6" Aluminum All-Purpose Nozzle with Height-Adjustable Rollers, Brush Strips and Oil Resistant Squeegees
☐	6.906-513.0	10.2" Plastic All-Purpose Nozzle with Height-Adjustable Rollers, Brush stripes and Rubber Lips
☐	6.903-018.0	14.6" Aluminum All-Purpose Head with Height-Adjustable Rollers, Brush Stripes and Rubber Lips
☐	6.906-554.0	14.2" Plastic All-Purpose Head with Rollers, Brush Strips and Standard Squeegee
☐	6.906-383.0	17.7" Aluminum All-Purpose Head with Height-Adjustable rollers, Brush Stripes and oil-resistant Squeegees
☐	2.860-113.0	6.3" Turbo Nozzle, Plastic with Reducer 35/32
☐	2.860-114.0	10.6" Turbo Nozzle, Plastic with Reducer 35/32
☐	6.903-033.0	11.4" Crevice Tool
☐	6.900-385.0	8.3" Crevice Nozzle, Plastic
☐	6.906-240.0	9.8" Crevice Nozzle, Plastic
☐	6.900-922.0	14.6" Crevice Nozzle, Metal

■ Included ☐ Optional

T 12/1

Quiet, simple operation.

This canister vacuum is meant to be seen and not heard. Featuring a very quiet vac motor, you can trust the T 12/1 to not disturb others while it is in use. In addition, this canister vacuum is focused on light weight and portability so you can clean up in no time at all, restoring your facility to it's professional appearance.

Productive

- Ergonomically designed handle provides fatigue-free operation, even over longer operating intervals.
- The compact design only weighs 11.5 pounds.

Convenient

- Quietest vacuum cleaner in its class. Whisper-quiet for operation during normal business hours.

Durable

- Large, rugged foot-operated switch turns the machine on and off without having to stop, for greater operator comfort.

		T 12/1
TECHNICAL SPECIFICATIONS		
Cleaning path	**in**	11.2
Air flow	**cfm**	129
Container capacity	**gal**	3
Power cord	**ft**	40
Motor	**hp**	1.7, with 98 inch water lift
Weight	**lbs**	11.5
Dimensions (L x W x H)	**in**	13.4 x 12.4 x 16.1

EQUIPMENT

Order No.	Description
1.355-127.0	T 12/1, 3-gallon vacuum

ACCESSORIES

	Order No.	Description
■	4.440-907.0	8.2' Hose Including Comfortable Hand Grip
■	6.906-618.0	2-Piece Metal Wand
■	5.731-619.0	Round Filter Insert (for operation without Filter Bags)
■	6.907-410.0	Combination Carpet & Hard Floor Tool
■	6.904-315.0	Filter Bag Fleece (10 PK)
□	6.904-321.0	Fleece Tear-Proof Bags (200 Count)
□	6.904-312.0	Filter Bag Paper (10 PK) for T 12/1 & TrekVac 3
□	6.904-318.0	Bulk Pack Paper Filter Bags (200 Count)
□	6.904-316.0	Fabric Filter Bag for T 12/1 & TrekVac 3
□	6.414-801.0	HEPA Filter
□	2.860-143.0	Tool Set (Upholstery, crevice, brush - Wand Clip-on)
□	6.903-402.0	Upholstery Tool - 4.72", Plastic
□	6.903-403.0	Crevice Tool
□	6.903-887.0	Dusting Brush, Plastic
□	6.903-524.0	Adjustable Height Wand
□	2.860-114.0	Suction Driven Floor Tool
□	2.860-113.0	Upholstery Hand Tool
□	6.904-333.0	Package of 10 Dust Bags for TrekVac 2
□	6.904-318.0	Case of 200 bags

■ Included □ Optional

BV 11/1

Breath easy with HEPA filtration.

The BV 11/1 portable back mounted vacuum is great for increasing productivity, efficiency, while saving you money. Breath easier with HEPA-level filtration standard on our productive backpack vacuum. This machine allows the operator to move around quickly and easily allowing for maximum productivity.

Meets your needs

- HEPA filtration is now standard, providing optimum air quality by filtering with 99.9% effectiveness to 0.3 microns,

Flexible

- Vacuums hose is a top-mounted swivel design for left-hand and right-hand operation

Productive

- Powerful 1.7 hp motor vacuums with authority
- Quiet vacuum operation is perfect for daytime cleaning

TECHNICAL SPECIFICATIONS		BV 11/1
Vacuum motor	**hp**	1.7, with 104 inch water lift
Air flow	**cfm**	112
Filter bag capacity	**qt**	6 or 10
Vacuum hose	**in**	60 x 1.5
Operating noise level	**dBA**	67
Weight	**lbs**	10-11
Dimensions (L x W x H) (6 qt/10 qt)	**in**	8.5 x 8.8 x 19.8/8.5 x 8.8 x 23.7

EQUIPMENT

Order No.	Description
9.840-514.0	BV 11/1, 10-quart back pack vacuum

ACCESSORIES

	Order No.	Description
■	8.628-666.0	Wand, 2 PC Aluminum Double Curve
■	8.619-894.0	Hose Assembly
■	8.639-285.0	HEPA pleated filter (standard on HEPA models)
■	8.619-884.0	Filter Bag Liner, Cloth VP10
■	8.619-885.0	Filter Bag, VP10 Paper Pkg/10
■	8.619-887.0	Filter Dome
■	8.604-141.0	Tool Kit, back-pack vacuum (includes 5 items below)
■	8.628-451.0	Crevice Tool
■	8.600-008.0	5" Upholstery Tool
■	8.628-360.0	Upholstery Brush
■	8.600-007.0	3" Dusting Tool
□	8.628-445.0	Tool, Carpet
□	8.628-444.0	Tool, Bristle Shod Dry Pick-Up
□	8.604-141.0	Vac Pac Tool Kit (#02293 crevice tool, #02083 dusting brush, #02084 upholstery tool, #02085 upholstery tool brush, #02086 extension tube)
□	9.840-632.0	Vac Pac 2-Piece Aluminum Wand
□	8.619-876.0	Vac Pac Crevice Tool
□	8.639-285.0	HEPA Pleated Filter For Vac Pac HEPA 6 & 10 and BV 11/1
□	8.619-885.0	Paper Bags For BV 11/1 & Vac Pac HEPA 10, package of 10
□	8.619-884.0	Cloth Bag For Vac Pac HEPA 10
□	8.631-254.0	Harness Assembly For Vac Pac HEPA 6 and Vac Pac HEPA 10 and BV 11/1
□	8.619-891.0	Paper Bags For Vac Pac BV HEPA 6
□	8.619-890.0	Cloth Bag For Vac Pac HEPA 6

■ Included □ Optional

ECO! T11 BP CARTVAC

100-MINUTE RUN TIME

3 YEAR GLOBAL WARRANTY

Daytime cleaning redesigned.

The Kärcher ECO! T11 Bp Liner CartVac is a professional mobile cleaning solution designed with an integrated vacuum. The clean design of the Kärcher CartVac allows for organized storage of cleaning supplies, providing a more professional appearance than today's janitorial carts.

Rugged construction

- The body of the ECO! T11 CartVac is backed by a 10-year warranty for years of use.

Easy to operate

- Simple one-touch power switch.
- Coiled, retractable power cord is easy to manage and store.

Quiet operation

- 58 dBA noise level is ideal for daytime cleaning while the sound level at the machine body is actually only 53 dBA.
- The large 12" rear wheels allow for easier maneuverability

		ECO! T11 BP LINER	ECO! T11 BP LINER DELUXE
		■ 10-quart vacuum bag capacity ■ 20 feet, 4:1 flex hose for maximum reach ■ Large 12" wheels for added mobility ■ 10-year body warranty	■ Trash can and Home Base included ■ 10-quart vacuum bag capacity ■ 20 feet, 4:1 flex hose for maximum reach ■ Large 12" wheels for added mobility ■ 10-year body warranty
TECHNICAL SPECIFICATIONS			
Air flow rate	**cfm**	85	85
Vacuum (WC)	**in**	65	65
Trash container capacity	**gal**	N/A	40
Vacuum bag capacity	**qt**	10	10
Max power rating	**W**	500	500
Voltage	**V**	120	120
Power cord length	**ft**	20	20
Weight (without accessories)	**lbs**	180	194
Operating noise level	**dBA**	58 at wand, 53 at machine body	58 at wand, 53 at machine body
Dimensions (L x W x H)	**in**	46 x 25 x 43	46 x 25 x 43

EQUIPMENT

Order No.	Description
1.013-100.0	ECO! T11 Bp Liner
1.013-101.0	ECO! T11 Bp Liner Deluxe

ACCESSORIES

	Order No.	Description
■	6.907-410.0	Floor tool
■	6.903-403.0	Crevice tool
□	8.634-487.0	Upholstery tool
□	8.619-885.0	10-quart paper bags, 10-count
□	8.637-463.0	Battery
□	8.640-211.0	Cloth vacuum bag
□	6.980-078.0	Home Base mop/broom clip
□	8.640-187.0	Trash can, 40-gallon
□	8.640-189.0	Home Base supply pouch

■ Included □ Optional

VACUUM ACCESSORIES



A job done quickly is a job done right.

Choose from a variety of accessories for your vacuum to boost your productivity. We have the right tool for any job. From the double dry carpet and upholstery hand tool that cleans deeper and dries faster, to the deluxe, standard and spotting wands that can be used with any Kärcher vacuum, we have the right tool for any job.

Increase your productivity

- The right tool can dramatically increase productivity

Specialized needs addressed

- Tackle jobs that would be impossible or at least significantly more difficult without these custom tools

ACCESSORIES

Order No.	Description
8.628-443.0	14" Plastic Squeegee Tool
8.628-447.0	14" Metal Squeegee Tool
8.628-444.0	14" Plastic Bristle Tool
8.628-446.0	14" Metal Bristle Tool
8.628-445.0	14" Plastic Carpet Tool
8.628-448.0	12" Cast Aluminum Carpet Tool
8.628-449.0	18" Cast Aluminum Carpet Tool
8.604-140.0	11" Plastic Multi-Purpose Tool with Reducer
8.628-453.0	11" Plastic Multi-Purpose Tool
8.628-452.0	4"-8" Pipe Tool
8.600-007.0	3" Dust Brush with Adapter
8.600-008.0	5" Upholstery Tool
8.628-360.0	Upholstery Tool Brush (fits #02084)
6.903-403.0	Crevice Tool
8.628-451.0	28" Plastic Crevice Tool
8.628-438.0	Reducer/Adapter
8.614-087.0	Crevice Nozzle (fits #89079)
8.614-468.0	Dusting Brush (fits #89079)
8.614-626.0	Upholstery Nozzle (fits #89079)
8.614-628.0	Wall and Upholstery Brush (fits #89079)
8.606-312.0	SpotLite Tool
8.603-302.0	Quick Sweep Tool
8.628-459.0	1 piece. Alum. Double Curve Wand 54"
8.628-462.0	1 piece. Alum. Double Curve Wand 49"
8.628-460.0	2 piece. Steel Double Curve Wand 54"
8.628-461.0	1 piece. Alum. Straight Wand 54")
8.600-009.0	Extension Tube 20" Length
8.609-022.0	Wand for SpotLite or Quick Sweep

AB 84 CUL

This air blower is easy to handle.

Enjoy the convenience that the AB 84 CUL has to offer in this easily transportable three speed air mover. Time is king in the cleaning industry. If you have wet hard floors or carpet, rely on the Wind Handler 3 to dry your facility up to 50 percent faster so you can resume to business-as-usual sooner. This unit features transport wheels and an upright handle for easy transport from job to job. The powerful 3,000 cfm air movement promotes rapid drying in no time.

- Upright handle and transport wheels for added safety and convenience
- Three speeds of air movement for every type of job
- Maximum air movement of 3,000 cfm for rapid drying of carped and hard floors
- Sturdy four point motor mount to withstand heavy use and rough handling
- Built-in carpet clip for flood restoration jobs

		AB 84 CUL
TECHNICAL SPECIFICATIONS		
Motor	**hp**	0.5
Fan wheel	**in**	9.6 x 9.1
Speed (high/medium/low)	**rpm**	1600/1350/1050
Air flow (high/medium/low)	**cfm**	3000/2500/2000
Power cord	**ft**	25
Electrical system		120 V AC, 60 Hz
Weight	**lbs**	39
Dimensions (L x W x H)	**in**	22.8 x 16 x 21.5

EQUIPMENT

Order No.	Description
1.004-053.0	AB 84 CUL, three-speed commercial air blower with upright handle

BR 47/35 ESCALATOR CLEANER

Take a step towards faster results.

The BR 47/35 escalator cleaner is perfect for cleaning most types of escalators. It features two counter-rotating brushes, a centering skid and a compact, maneuverable design. Its tank-in-tank design is easy to maintain and the handle folds down for transport making this machine perfect for your facility.

Easy to use

- Comfortable, ergonomic handle for operator comfort
- Brush head operated by a foot pedal for operator comfort.
- Foot-operated parking brake keeps the unit securely in place

Powerful performance

- Four hoses ensure maximum suction performance
- Clean right up to the edges
- Smooth running casters ensure superior maneuverability

Hygienic design

- Tank-in-tank system is very easy to clean

TECHNICAL SPECIFICATIONS		BR 47/35 ESCALATOR CLEANER
Cleaning path	in	18.5
Solution capacity	gal	9.2
Recovery capacity	gal	9.2
Electrical system		120V 60 Hz
Brush speed	RPM	870
Brush motor	HP	1.5
Water flow rate	gal/hr	15.8
Pressure	psi	58 - 101.5
Weight	lbs	199
Dimensions (L x W x H)	in	47 x 16 x 43

EQUIPMENT

Order No.	Description
1.310-110.0	BR 47/35 Escalator Cleaner

ACCESSORIES

	Order No.	Description
☐	6.369-508.0	Groove rake for Otis and Thyssen-Krupp
☐	6.369-510.0	Front guide comb (black) for Otis, Thyssen-Krupp, Fujitel, Montgomery
☐	6.369-520.0	Rear guide comb (black) for Otis, Thyssen-Krupp, Fujitel, Montgomery
☐	6.369-507.0	Groove rake for Kone and Schindler
☐	6.369-511.0	Front guide comb (green) for Schindler, Westinghouse, Mitsubishi
☐	6.369-521.0	Rear guide comb (green) for Schindler, Westinghouse, Mitsubishi
☐	6.369-512.0	Front guide comb (white) for CNIM, DONG, YANG, HITACHI, TOSHIBA
☐	6.369-522.0	Rear guide comb (white) for CNIM, DONG, YANG, HITACHI, TOSHIBA
☐	6.369-509.0	Rear guide comb (gray) for Kone
☐	6.369-519.0	Front guide comb (gray) for Kone

■ Included ☐ Optional

PS 4/7 BP MISTER & VITAL OXIDE® HOSPITAL DISINFECTANT

Prevention is the best medicine.

PS 4/7 Bp Mister

Achieve a higher level of efficacy with the Kärcher PS 4/7 Bp Mister. This hospital-grade misting system is specifically designed for use with Vital Oxide® disinfectant. Reduce the risks of Health Care Acquired Infections by killing virus, bacteria and mold faster, safer and quieter.

Vital Oxide

- No rinse sanitizer for food contact surfaces (D2).
- Kills harmful bacteria, mold and mildew, deodorizes and eliminates allergens.
- Registered as a carpet disinfectant and recognized by CRI to be safe on carpets. EPA Reg. No. 82972-1 EPA Est. No. 85804-NC-1 EPA Est. No. 29909-CA-1 (See batch code for actual (establishment number)
- Represented in Canada by Halifax International Trading Inc. S1394 Pineway Court, Oakville Ontario L6M 2H3 (DIN 24422654)

PS 4/7 BP MISTER

TECHNICAL SPECIFICATIONS		
Pressure	**psi**	100
Solution spray rate	**gpm**	0.05
Continuous spray on one battery charge	**hrs**	18
Voltage	**V**	12
Wheels	**in**	3
Compact height for storage/transport	**in**	22.5
Sound level	**dBA**	30
Weight (including battery)	**lbs**	32
Dimensions (L x W x H)	**in**	19 x 13.5 x 39.5

EQUIPMENT

Order No.	Description
1.007-082.0	PS 4/7 Bp, mister

DETERGENTS

	Order No.	Description
☐	8.639-558.0	Vital Oxide,® 4 gallon - case
☐	8.639-560.0	Vital Oxide,® 6 quart - case

■ Included ☐ Optional

SG BP GUM REMOVERS

SG1 C BP

SG3 BP

SG2 C BP

NEW

Turn up the heat on gum removal.

The Kärcher SG Bp series are portable gum removers. Powered by a single lithium ion battery, these gum removers are quiet and offer up to 8 hours of uninterrupted operation. They remove gum in 4-6 seconds and are safe to use on stone, concrete and even carpet. Great for maintaining shopping malls, schools, train stations, airports, hotels, hospitals, restaurants and supermarkets.

Easy to Use

- SG3 Bp features easy two settings and two brushes for multiple applications.
- SG1 and 2 C Bp's low pressure fuel canisters are designed to ensure delivery of proper fuel volume and safe operation.

Ultimate portability

- No cords ensures safety and convenience

Environmentally friendly

- No harsh residue–safe on all surfaces

		SG1 C BP	SG2 C BP	SG3 BP
		■ 1-year warranty ■ Long-life lithium battery		
TECHNICAL SPECIFICATIONS				
Run time	**hrs**	4	8	3.5 (on single charge) 5 (quick charge)
Weight	**lbs**	11	18	24 (including battery)
Dimensions (L x W x H)	**in**	4.5 x 13 x 20.5	8 x 16.5 x 11	17.1 x 13.8 x 14.6

EQUIPMENT

Order No.	Description
1.013-104.0	SG1 C Bp, Gum remover, 11 lbs with 4 hour run time
1.013-024.0	SG2 C Bp, Gum remover, 18 lbs with 8 hour run time
1.013-105.0	SG3 Bp, Gum remover, 24 lbs (including battery) with 3.5 hour run time

ACCESSORIES

	Order No.	Description
☐	8.639-871.0	Service pack includes 2 LPG gas cartridges, 4 bottles of chemical and 2 black (stainless steel) brushes, 1 green brush. Hours of operation: 8-9. (for SG1 and 2 C Bp)
☐	8.640-135.0	Stainless Steel Brushes - 2 pack replacement stainless steel brushes (black) (for SG1 and 2 C Bp)
☐	8.640-136.0	Polypropylene Brushes - 2 pack polypropylene brushes (green), for carpet and material (for SG1 and 2 C Bp)
☐	8.641-480.0	Chemical Bottle (case of 20) 90 mL. (for SG3 Bp)
☐	8.641-478.0	Nylon Brush (set of 20) (for SG3 Bp)
☐	8.641-479.0	Brash Brush (set of 20) (for SG3 Bp)

■ Included ☐ Optional

SG 4/4

Hygienically clean without the use of chemicals.

Time is money—particularly in commercial cleaning. The SG 4/4 steamer has an ingenious two-tank filling system allowing for continuous use. Steam cleaning can impressively remove up to 99.999% of bacteria without chemical. It is also ideal for cleaning kitchens and grout.

Continuous use

- Our unique two-tank system allows for continuous use
- Very little time is needed to heat up the unit

Adjust to your needs

- Control the level of steam
- Switch to pressurized hot water to remove stubborn dirt

Designed for your health

- Only water is used by the SG 4/4 to save you money and to improve the health of users and guests

		SG 4/4
TECHNICAL SPECIFICATIONS		
Voltage	**V**	110
Steam temp/pressure	**°F**	248
Tank capacity	**gal**	1.06
Cable length	**in**	24.5
Weight without accessories	**lbs**	17.6
Dimensions (L x W x H)	**in**	19 x 12.6 x 10.8

EQUIPMENT

Order No.	Description
1.092-805.0	SG 4/4, Commercial steam cleaner

ACCESSORIES

	Order No.	Description
■	4.321-114.0	Steam Hose
■	4.127-023.0	Extension Tube
■	2.884-278.0	Floor Tool, 12.4”
■	4.130-144.0	Hand Tool
■	6.960-019.0	Cloth Set w/ 2 large floor cloths & 3 covers for hand tool
■	2.884-282.0	Power Nozzle
■	2.884-281.0	Point Jet Nozzle
□	4.130-115.0	Window Nozzle
□	6.962-139.0	Brushes 5 X Per Pack
□	2.863-062.0	Wallpaper Stripper
□	2.863-077.0	Round Brush Set, 2X Red, 1X Black
□	2.863-075.0	Round Brass Brush Set, 3 Nozzles
□	2.863-171.0	Steam+Clean Microfiber Cloth Set for Bathrooms (Includes 4 different clothes)
□	2.863-172.0	Steam+Clean Microfiber Cloth Set for Kitchens (Includes 4 different clothes)
□	2.863-173.0	Steam+Clean Microfiber Velour Floor Cloth Set (Includes 2 cloths)
□	2.863-174.0	Steam+Clean Microfiber Velour Cloth Covers for the Hand Tool (Includes 2 cloths)
□	6.369-481.0	Extra-Wide, Hard Wearing, Terry Cloth Towels (set of 5)
□	6.962-239.0	Two Wheel Transport Cart

■ Included □ Optional

SGV 6/5

NEW

Hygiene, non-stop.

The easy-to-use SGV 6/5 steam vacuum cleaner offers hygienic cleanliness. A single machine that is a steam cleaner and wet vacuum cleaner in one. With EASY Operation switch, secure accessory integration and hand tool for controlling the steam/vacuum function.

Straight forward operation

- One easy-to-use switch controls all operation
- Self-explanatory symbols means less training required

Continuous operation

- Our unique design allows you to refill the water while in use

Change on the go

- The included hand tool features an adjustment knob that allows you to adjust the water/steam regulation and turn the vacuum on and off.

		SGV 6/5
TECHNICAL SPECIFICATIONS		
Voltage	**V**	110-120
Steam temp/pressure	**ºF**	327
Tank capacity	**gal**	1.3
Cable length	**ft**	24.5
Weight without accessories	**lbs**	86
Dimensions (L x W x H)	**in**	25 x 19 x 38

EQUIPMENT

Order No.	Description
1.092-003.0	SGV 6/5, commercial steam cleaner and wet vacuum

ACCESSORIES

	Order No.	Description
■	2.863-011.0	Round brush set, 3 Brushes
■	2.889-005.0	Floor Nozzle, 12" (300 mm)
■	2.889-006.0	Brush strips for floor nozzle 2.889-005.0
■	2.889-007.0	Rubber Strip, 12" (300 mm) for floor nozzle 2.889-005.0
■	2.889-008.0	Manual Nozzle, 6" (150 mm)
■	2.889-009.0	Brush Strip, 6" (150 mm) for manual nozzle 2.889-008.0
■	2.889-010.0	Rubber Strip, 6" (150 mm) for manual nozzle 2.889-008.0
■	2.889-011.0	Accessories Adapter
■	2.889-028.0	Crevice Nozzle
■	2.889-052.0	Adapter for attaching round brushes
■	4.440-009.0	Steam suction hose
■	2.889-004.0	Extension tube set
□	2.889-053.0	Triangular floor nozzle
□	2.863-007.0	Round brush stainless steel (very hard bristles) set, 3 Nozzles
□	2.863-008.0	Round Brass Brush (hard bristles) Set, 3 Nozzles
□	2.863-009.0	Pekalon round brush (medium-hard bristles) set

■ Included □ Optional

Importance of proper cleaning

Keeping soils from entering the facility is the most critical and most overlooked component of floor maintenance. Highly efficient and effective floor care programs take an 'outside-in' approach, beginning where the soils originate - outside. Exterior paved areas like parking garages, parking lots and walkways should be addressed before soils even enter the facility. Preventative cleaning uses less labor, less chemical, and lower overall cleaning cost.

Preventative (P): Stopping the soils from entering the facility through removal or containment.
Daily (D): Removing soils daily to minimize their damage to carpet and hard floor finish.
Interim (I): Maintaining a high level of appearance with minimal labor, chemical and water.
Restorative (R): Intensive cleaning designed to restore the carpet or finish as close to original as possible.

PREVENTATIVE (P)

Model	Order #	Cleaning Path/ Capacity	Productivity (ft²/hr)*	dBA	Agency Certification & USGBC - LEED Compliant	GPM
CVU 30/1 HEPA	1.012-595.0	12" / 1.4 gal.	-	67	-	-
CVU 36/1 HEPA	1.012-591.0	14" / 1.4 gal.	-	67	-	-
CVU 46/1 HEPA	1.012-592.0	18" / 1.4 gal.	-	67	-	-
EB 30/1	1.545-121.0	12" / .26 gal.	13,200	56	-	N/A
KM 105/110 R Bp	Varies	25" / 29 gal	67,800 - 90,400	-	-	N/A
KM 125/130 R Bp	Varies	35" / 34 gak	107,640	-	-	N/A
KM 70/20 C	1.517-106.0	28" / 1.5 ft3	30,000	69	-	N/A
KM 70/20 C 2SB	1.517-107.0	38" / 1.5ft2	39,600	53	-	N/A
KM 70/30 C Bp Adv	1.517-218.0	28" /1.5 ft2	30,100	69	-	N/A
KM 75/40 W Bp	9.840-739.0	30" / 10.5 gal.	36,300	64	-	N/A
KM 90/60 R Bp Adv	Varies	36" / 16 gal.	47,520	71	-	N/A
KM 90/60 R Bp Adv 2SB	Varies	45" / 16 gal.	74,270	71	-	N/A

DAILY (D)

B 150 R Bp	Varies	30"-35" / 40 gal	34,445-40,903	-	-	-
B 250 R	Varies	39-47 / 66 gal	48,440-58,125	-	-	-
B 40 C/W Bp	Varies	18 - 33.5" / 10.6 gal.	18,300-21,527	60-69	-	-
B 60 W Bp	Varies	22-26" / 16 gal.	23,680-27,986	61-66	-	-
B 80 W Bp	Varies	26-30" / 21 gal.	Varies	61-66	-	-
B 90 R Adv Bp	Varies	22/26/30" / 24 gal.	29,400	75	-	-
BD 38/12 C Bp	1.783-431.0	15" / 3.2 gal	12,270	65/62	-	-
BD 43/25 C Bp	Varies	17" / 6.6 gal	18,500	66	-	
BD 50/50 Classic Bp	9.841-369.0	20" / 14 gal.	13,200	66	-	0.61 gpm
BD 50/70 R Bp	Varies	20" / 20 gal	26,900	66	-	-
BR 30/4 C	1.783-221.0	12" / 1 gal.	1,400	71	LEED**	0.25-0.3 gpm
BR 35/12 C Bp	1.783-454.0	14" / 3 gal.	15,069	61-65	-	Varies
BR 40/10 C Adv	1.783-312.0	16" / 2.5 gal.	3,200	71	LEED**	0.25-0.3 gpm
BR 45/22 C Bp	1.783-461.0	18" / 6 gal	19,375	66	-	0.71 gpm
BV 11/1	9.840-514.0	10 qt.	7,273	67	CRI - LEED	-
CV 300	1.012-059.0	12" / .9 gal.	3,104	69	CRI - LEED	-
CV 380	1.012-060.0	15" / .9 gal.	3,881	70	CRI - LEED	-
CVU 30/1 HEPA	1.012-595.0	12" / 1.4 gal.	-	67	-	-
CVU 36/1 HEPA	1.012-591.0	14" / 1.4 gal.	-	67	-	-
CVU 46/1 HEPA	1.012-592.0	18" / 1.4 gal.	-	67	-	-
ECO! T11 Bp Liner CartVac Basic	1.013-100.0	11" / 2.5 gal.	2300	58	-	-
ECO! T11 Bp Liner CartVac Deluxe	1.013-101.0	11" / 2.5 gal.	2300	58	-	-
NT 35/1 Eco	1.184-854.0	12" / 9.2 gal.	N/A	67	-	-
NT 45/1 Tact	1.145-834.0	11.9 gal.	3,565	67	-	-
NT 48/1	1.428-623.0	12" / 12.6 gal.	N/A	66	-	-
NT 65/2	1.325-104.0	17.2 gal	3,674	74	-	-
NT 68/1	Varies	24.5" / 18 gal.	N/A	71	-	-
PS 4/7 Bp Mister	1.007-082.0	1.06 gal.	N/A	30		0.02 gpm
Puzzi 10/1	1.100-228.0	8.2" / 2.6 gal.	N/A	N/A	CRI - LEED	-
Puzzi 8/1 C	1.100-223.0	2 / 1.8 gal.	129-194	71	-	0.26 gpm
SG 4/4	1.092-805.0	N/A / 1.06 gal	-	-	-	-
SGV 6/5	1.092-003.0	N/A / 1.3 gal	-	-	-	-
T 12/1	1.355-127.0	11.2" / 3 gal.	7,273	61	-	N/A

INTERIM (I)

Model	Order #	Cleaning Path/ Capacity	Productivity (ft²/hr)*	dBA	Agency Certification & USGBC - LEED Compliant	GPM
B 60 W Bp	Varies	22-26" / 16 gal.	23,680-27,986	61-66	-	–
B 80 W Bp	Varies	26-30" / 21 gal.	Varies	61-66	-	–
B 90 R Adv Bp	Varies	22/26/30" / 24 gal.	29,400	75	-	–
BD 50/70 R Bp	Varies	20" / 20 gal	26,900	66	-	-
BDP 51/1500 C	9.840-470.0	20" / 1500 rpm	9,091	66	-	N/A
BDP 51/2000 C	9.840-468.0	20" / 2000 rpm	10,000	66	-	N/A
BDS 43/Duo C	9.841-236.0	17-21" / 3 gal.	Varies	59	CRI - LEED	N/A
BR 45/22 C Bp	1.783-461.0	18" / 6 gal	19,375	66	-	0.71
BRS 40/1000 C	1.783-332.0	16" / 600 rpm	3,200	69	LEED	0.25-0.3 gpm
SG 4/4	1.092-805.0	N/A / 1.06 gal	-	-	-	-
SG1 C Bp Gum Remover	1.013-104.0	N/A		53	-	-
SG2 C Bp Gum Remover	1.013-024.0	N/A		53	-	-
SG3 Bp Gum Remover	1.013-105.0	N/A	-	-	-	-
SGV 6/5	1.092-003.0	N/A / 1.3 gal	-	-	-	-

RESTORATIVE (R)

Model	Order #	Cleaning Path/ Capacity	Productivity (ft²/hr)*	dBA	Agency Certification & USGBC - LEED Compliant	GPM
BDS 43/175 C	1.009-091.0	17" / 175 rpm	9,091	63	-	N/A
BDS 43/Duo C	9.841-236.0	17-21" / 3 gal.	Varies	59	CRI - LEED	N/A
BDS 51/175 C	1.009-092.0	20" / 175 rpm	2,222	63	-	N/A
BDS 51/175-300 C	1.009-094.0	20" / 175/300 rpm	3,571	63	-	N/A
BRC 30/15 C	1.008-058.0	10.5" / 4 gal.	1,700	79	CRI LEED	0.38 gpm
BRC 46/38 C	1.008-054.0	10 gal.	11,880	75		0.10 gpm
BRC 46/76 W	1.008-650.0	18"/ 20 gal.	5,000	69	CRI - LEED	1.0 gpm
NT 35/1 Eco	1.184-854.0	12" / 9.2 gal.	N/A	67	-	-
NT 45/1 Tact	1.145-834.0	11.9 gal.	3,565	67	-	-
NT 48/1	1.428-623.0	12" / 12.6 gal.	N/A	66	-	N/A
NT 65/2	1.325-104.0	17.2 gal	3,674	74	-	-
NT 68/1	Varies	24.5" / 18 gal.	N/A	71	-	N/A
Puzzi 50/14 E	1.006-673.0	NA / 13 gal.	1,000	72.5-77.2	CRI - LEED	Varies
Puzzi 50/35 C	1.006-672.0	NA / 13 gal.	1,000	72.5-77.2	CRI - LEED	Varies
Puzzi 64/35 E	1.006-674.0	Varies / 17 gal.	1,000	72.5-77.2	CRI - LEED	Varies
SG1 C Bp Gum Remover	1.013-104.0	N/A	-	53	-	-
SG2 C Bp Gum Remover	1.013-024.0	N/A	-	53	-	-
SG3 Bp Gum Remover	1.013-105.0	N/A	-	-	-	-