



makes a difference



THE INDUSTRY SPECIALISTS.

Robust. Versatile. Fully hydraulic.

PROFESSIONAL | KM 130/300 R BP, KM 150/500 R BP


Totally efficient. Endurance meets economy.

A new class of ride-on sweepers has arrived for industrial use. With an environmental friendly battery drive, robust steel chassis, impact-protected side brushes and fully hydraulic operation of all functional units. Rigorously designed for efficiency and reliability, with high-quality components. Drive performance, filter and sweeping performance, load capacity and design - these sweepers are in a class of their own. With the exemplary ergonomics and ease of use you expect from Kärcher. The KM 130/300 R and KM 150/500 R gives contract cleaners, industry, logistics and municipalities exactly what they need. Both models can be equipped to tackle the demands of practically any cleaning job.



Robust steel chassis and three-wheel chassis and suspension with low center of gravity mean that all sweepers in this class feature safe handling, driving comfort and excellent maneuverability. The intuitive Kärcher EASY Operation System makes the machine easy to use and prevents incorrect operation. The operator only needs to control one switch for all sweeping functions.

For individual customer requirements and cleaning tasks, there is a wide range of attachment kits and tools to choose from: from second side brush to canopies with or without windscreen or a side brush cover to reduce dust becoming airborne.



1 EASY Operation: multi-information display

The Kärcher EASY Operation concept has self-explanatory symbols for intuitive use and preventing incorrect operation. All displays are in the operator's field of vision and can be read at a glance. A comfortable and ergonomic operator workplace ensures greater safety and productivity.

2 Battery with lasting power

The KM 130/300 R and the KM 150/500 R are operated with battery power. Emission-free and quiet battery operation enables long periods of uninterrupted use.

3 Flexible Footprint System

The Flexible Footprint System combines the advantages of rigid and floating roller brushes. The roller brush, which adapts to any unevenness in the surface, can be operated with variable contact pressure. For great cleaning results with minimum wear and tear.

4 Container lift

For quick and easy emptying of the waste container, both machines have a hydraulic container lift. The dirt can be emptied at various heights, whether onto the ground in a yard, or directly into a container.

KM 130/300 R Bp



High capacity and power for heavy-duty use.

This powerful sweeper with fully hydraulic traction drive and sweeping system cleans all industrial surfaces effortlessly – from fine dust to construction waste. High working and transport speed and simple no-tools brush roller replacement shorten prep times and increase efficiency. The battery version KM 130/300 R Bp ensures professional cleanliness even in noise-sensitive indoor areas.



1 Rugged construction

- Solid steel frame.
- Fully hydraulic traction drive.

2 Efficient long-life filter

- Flat fold filter with 59 ft² filter area.
- Effective filter cleaning with dual scraper for dust free sweeping.

3 User-friendly design

- Easy-Operation design.
- Easy to get in and out.
- Extremely service-friendly.

4 Long run times

- Battery-drive.
- Emission-free and environmental friendly.
- Low-noise level.

KM 150/500 R Bp



Maximum performance for the toughest jobs.

Built up for the toughest jobs with its robust steel chassis, durable and reliable components and an outstanding dust filter system, this machine fits well in heavy duty industrial environments. If a low noise level or emission-free work is required this battery version is the only one in the market in this size range. The KM 150/500 R Bp enables high working and transport speeds, low-maintenance, fully hydraulic traction drive and sweeping system.



1 Efficient filter system

- Flat fold filter with 75 ft² filter area.
- Effective filter cleaning with dual scraper for dust free sweeping.

2 Comfortable workplace

- All controls are clearly arranged and easy to reach.
- All displays in operator's field of vision.

3 Easy to service

- Perfect access to service relevant parts.
- Main roller brush and filter can be replaced without tools.

4 Long run times

- Battery-drive.
- Emission-free and environmental friendly.
- Low-noise level.

Technical Data and Equipment.



KM 130/300 R Bp

- Easy roller brush replacement without tools
- Fully hydraulic drive and sweeping system
- High working and transport speed

KM 130/300 R Bp 2SB

- Easy roller brush replacement without tools
- Fully hydraulic drive and sweeping system
- High working and transport speed

Technical data

Drive		DC motor	DC motor
Power		36 V / 5 kW	36 V / 5 kW
Max. area performance	ft²/hr	97,952 (9100 m ² /h)	97,952 (9100 m ² /h)
Working width	inches	39 (1000 mm)	39 (1000 mm)
Working width with 1 / 2 brushes	inches	51 (1300 mm)	61 (1550 mm)
Waste container capacity	gallons	82 (300 l)	82 (300 l)
Climbing capacity	%	12	12
Working speed	mph	4 (6 km/h)	4 (6 km/h)
Filter area	ft²	59 (5.5 m ²)	59 (5.5 m ²)
Weight	lbs.	1,764 (840 kg)	1,764 (840 kg)
Dimensions (L x W x H)	inches	81 x 52 x 56 (2150 x 1330 x 1430 mm)	81 x 52 x 56 (2150 x 1330 x 1430 mm)

Equipment

STL	■	■	■	■	■	■	■	■	■	■	■
Overhead Guard	□	■	■	□	■	■	□	■	■	■	■
Front/Rear Lights	□	■	■	□	□	■	□	■	□	□	■
Standard Charger	■	■	■	□	□	□	■	■	■	□	□
High-Efficiency Charger	□	□	□	■	■	■	□	□	□	■	■
Warning Beacon	■	■	■	■	■	■	■	■	■	■	■
Rear Back-up Alarm	■	■	■	■	■	■	■	■	■	■	■
Steel Hopper	■	■	■	■	■	■	■	■	■	■	■
Order No.	9.841-326.0	9.841-327.0	9.841-328.0	9.841-332.0	9.841-333.0	9.841-334.0	9.841-329.0	9.841-330.0	9.841-331.0	9.841-335.0	9.841-336.0 9.841-337.0

■ Included in delivery. □ Available accessories.

Accessories.



1



2



3



4



5

Standard Accessories (included)

Order No.	Description	Image
6.987-438.0	Main Roller Brush, regular, 39" (1000 mm) - standard for Bp machine Warning Beacon	
4.515-328.0	Front Wheel, solid rubber, puncture-proof, non-marking (set of 2)	1
6.988-158.0	Flat pleat filter, green, standard	
8.636-996.0	Battery, 36V, 374 Ah Steel Case	
8.640-032.0	Battery charger, 36V, standard	
8.639-416.0	Battery charger, 36V, High-Efficiency (required in Calif. & Oregon)	
6.987-083.0	Side Brush, regular	

Optional Accessories

Order No.	Description	Image
6.987-439.0	Main Roller Brush, hard, 39" (1000 mm)	
6.987-460.0	Main Roller Brush, soft, 39" (1000 mm)	
6.987-440.0	Main Roller Brush, soft, natural 39" (1000 mm)	
2.851-273.0	Left Side Broom Kit	
6.987-519.0	Flat pleat filter, white	2
4.515-332.0	Front Wheel, pneumatic (set of 2)	
2.851-691.0	Overhead Guard	
2.851-269.0	Overhead Guard w/windscreen & wiper	3
2.851-286.0	Dust control cover for side brush	
6.905-773.0	Side Brush, hard	
6.905-620.0	Side Brush, soft	
6.905-619.0	Side Brush, hard steel bristles	
2.851-279.0	Front/Rear Light kit	4
2.851-271.0	Closed Cab w/plastic curtains	5
6.373-014.0	Comfort Seat	
8.637-011.0	Seat Belt	

Technical Data and Equipment.



KM 150/500 R Bp

- High working and transport speed
- Fully hydraulic drive and sweeping system
- Low maintenance

KM 150/500 R Bp 2SB

- High working and transport speed
- Fully hydraulic drive and sweeping system
- Low maintenance

Technical data

Drive		DC motor	DC motor
Power		48 V / 10 kW	48 V / 10 kW
Max. area performance	ft²/hr	139,931 (18000 / 21600 m ² /h)	139,931 (18000 / 21600 m ² /h)
Working width	inches	47 (1200 mm)	47 (1200 mm)
Working width with 1 / 2 brushes	inches	59 (1500 mm)	71 (1800 mm)
Waste container capacity	gallons	132 (500 l)	132 (500 l)
Climbing capacity	%	12	12
Working speed	mph	5 (8 km/h)	5 (8 km/h)
Filter area	ft²	75 (7 m ²)	75 (7 m ²)
Weight	lbs.	3,042 (1380 kg)	3,042 (1380 kg)
Dimensions (L x W x H)	inches	96 x 61 x 65 (2442 x 1550 x 1640 mm)	96 x 61 x 65 (2442 x 1550 x 1640 mm)

Equipment

STL	■	■	■	■	■	■	■	■	■	■	■	■
Overhead Guard	□	■	■	□	■	■	□	■	■	□	■	■
Front/Rear Lights	□	□	■	□	□	■	□	□	■	□	□	■
Standard Charger	■	■	■	□	□	□	■	■	■	□	□	□
High-Efficiency Charger	□	□	□	■	■	■	□	□	□	■	■	■
Warning Beacon	■	■	■	■	■	■	■	■	■	■	■	■
Rear Back-up Alarm	■	■	■	■	■	■	■	■	■	■	■	■
Steel Hopper	■	■	■	■	■	■	■	■	■	■	■	■
Order No.	9.841-338.0	9.841-339.0	9.841-340.0	9.841-344.0	9.841-345.0	9.841-346.0	9.841-341.0	9.841-342.0	9.841-343.0	9.841-347.0	9.841-348.0	9.841-349.0

■ Included in delivery. □ Available accessories.

Accessories.



Standard Accessories (included)

Order No.	Description	Image
	Warning Beacon	1
6.987-083.0	Side Brush, regular	
6.987-085.0	Main Roller Brush, regular, 47" (1200 mm) - standard for Bp machine	
4.515-329.0	Front Wheel, solid rubber, puncture-proof (set of 2)	
6.988-159.0	Flat pleat filter, green, standard	
8.636-896.0	Battery, 24V, 721 Ah Steel Case (2 required)	
8.637-291.0	Battery charger, 48V, standard	
8.637-293.0	Battery charger, 48V, High-Efficiency (required in Calif. & Oregon)	

Optional Accessories

Order No.	Description	Image
6.905-773.0	Side Brush, hard	
6.905-620.0	Side Brush, soft	
6.905-619.0	Side Brush, hard steel bristles	
2.851-279.0	Front/Rear Light kit	2
6.373-014.0	Comfort Seat	
8.637-011.0	Seat Belt	
6.987-436.0	Main Roller Brush, hard, 47" (1200 mm)	
6.987-437.0	Main Roller Brush, soft, natural 47" (1200 mm)	
2.851-274.0	Left Side Broom kit	3
6.987-177.0	Flat pleat filter, white	
2.851-287.0	Dust control cover for side brush	4
2.851-686.0	Overhead Guard	5
2.851-270.0	Overhead Guard w/windscreen & wiper	



1150 Davis Road, Suite J, Elgin, IL 60123
P: (847) 468-8800 • (800) 788-8867 • F: (847) 468-8811
www.lorchem.com • info@lorchem.com

We Know How To Get Things **CLEAN**

Please contact us for more information:

North America

750 W. Hampden Avenue
Suite 400
Englewood, CO 80110
U.S.A.

Phone 800-456-6649
Fax 303-738-2818

www.karcher.com/us

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2
Canada

Phone 905-672-8233
Fax 905-672-3155

www.karcher.ca