

# KÄRCHER

makes a difference



## THE SMART WAY TO SWEEP.

The comfortable battery-powered, ride-on sweeper for medium to large surface cleaning.

# KM 90/60 R Bp Adv



## The smart way to sweep.

Comfortable alternative to walk-behind sweepers. The KM 90/60 R ride-on sweeper offers best-in-class comfort with its adjustable seat, easy steering and large wheels for high performance as well as providing excellent cleaning results. The KM 90/60 now offers fully automatic TACT filter cleaning system.



### 1 Robust, compact design with pick-up area

- Built to last, highly reliable.
- Safety and maneuverability.

### 2 EASY Operation concept

- Logical and clear.
- All controls are clearly arranged and easy to access.

### 3 Tact: the fully automatic, continuous filter cleaning

- Highly effective filter cleaning for continuous dust-free sweeping.
- Compact filter size with long service life.
- Easy access to the filter.

### 4 Compact design with additional storage space

- Using the Homebase accessories, additional cleaning tools can be attached and carried on-board.

# Technical data and equipment.

|                               | KM 90/60 R Bp Adv                                                                                                                                                                                          | KM 90/60 R Bp Adv 2SB                                                                                                                                                                                                                |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               | <ul style="list-style-type: none"> <li>■ TACT: Automatic filter cleaning system</li> <li>■ Integrated Homebase kit</li> <li>■ Ergonomic operating concept</li> <li>■ Floating main roller brush</li> </ul> | <ul style="list-style-type: none"> <li>■ 2 side brushes</li> <li>■ TACT: Automatic filter cleaning system</li> <li>■ Integrated Homebase kit</li> <li>■ Ergonomic operating concept</li> <li>■ Floating main roller brush</li> </ul> |
| <b>Technical data</b>         |                                                                                                                                                                                                            |                                                                                                                                                                                                                                      |
| <b>Working width</b>          | 36" (900 mm)                                                                                                                                                                                               | 45" (1150 mm)                                                                                                                                                                                                                        |
| <b>Drive</b>                  | DC motor                                                                                                                                                                                                   | DC motor                                                                                                                                                                                                                             |
| <b>Sweeping method</b>        | Overthrow                                                                                                                                                                                                  | Overthrow                                                                                                                                                                                                                            |
| <b>Max. area performance</b>  | 58,125 ft <sup>2</sup> / hr (5,400 m <sup>2</sup> / hr)                                                                                                                                                    | 74,270 ft <sup>2</sup> / hr (6,900 m <sup>2</sup> / hr)                                                                                                                                                                              |
| <b>Waste container</b>        | 15.85 gallons (60 l)                                                                                                                                                                                       | 15.85 gallons (60 l)                                                                                                                                                                                                                 |
| <b>Climbing ability</b>       | 12%                                                                                                                                                                                                        | 12%                                                                                                                                                                                                                                  |
| <b>Working speed</b>          | 3.72 mph ( 6 km / hr)                                                                                                                                                                                      | 3.72 mph ( 6 km / hr)                                                                                                                                                                                                                |
| <b>Weight</b>                 | 782 lbs.                                                                                                                                                                                                   | 805 lbs.                                                                                                                                                                                                                             |
| <b>Dimensions (L x W x H)</b> | 64.3" x 38.6" x 49.6"<br>(1635 mm x 980 mm x 1260 mm)                                                                                                                                                      | 64.3" x 38.6" x 49.6"<br>(1635 mm x 980 mm x 1260 mm)                                                                                                                                                                                |
| <b>Equipment</b>              |                                                                                                                                                                                                            |                                                                                                                                                                                                                                      |
| Polyester filter              | ■                                                                                                                                                                                                          | ■                                                                                                                                                                                                                                    |
| TACT filter cleaning system   | ■                                                                                                                                                                                                          | ■                                                                                                                                                                                                                                    |
| Floating main roller broom    | ■                                                                                                                                                                                                          | ■                                                                                                                                                                                                                                    |
| Adjustable suction power      | ■                                                                                                                                                                                                          | ■                                                                                                                                                                                                                                    |
| Coarse dirt flap              | ■                                                                                                                                                                                                          | ■                                                                                                                                                                                                                                    |
| Battery and charger           | ■                                                                                                                                                                                                          | ■                                                                                                                                                                                                                                    |
| <b>Order No.</b>              | <b>215 Ah batteries</b> 9.841-246.0                                                                                                                                                                        | <b>9.841-247.0</b>                                                                                                                                                                                                                   |
|                               | <b>234 Ah AGM batteries</b> 9.841-248.0                                                                                                                                                                    | <b>9.841-249.0</b>                                                                                                                                                                                                                   |

■ Included in delivery.

## Standard Accessories (included)

| Order No.   | Description |
|-------------|-------------|
| 4.762-430.0 | Main broom  |
| 6.906-132.0 | Side broom  |
| 6.907-352.0 | Flat Filter |

## Optional Accessories

| Order No.   | Description                                                                                                                         |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|
| 5.035-488.0 | Adapter Homebase - to mount different hooks and clips to the machine                                                                |
| 6.980-077.0 | Double hook -suitable for storing trash bags on the machine (order also Homebase adapter)                                           |
| 6.980-078.0 | Holder grey/mop clip - used to fix a mop or broom to the machine (order also Homebase adapter)                                      |
| 6.980-080.0 | Holder bottle clip (order also Homebase adapter)                                                                                    |
| 4.762-441.0 | Anti-Static Rolling Brush                                                                                                           |
| 4.762-443.0 | Main Roller Brush, Hard                                                                                                             |
| 4.762-442.0 | Main Roller Brush, Soft/Natural                                                                                                     |
| 6.905-625.0 | Side Brush, Hard                                                                                                                    |
| 2.642-693.0 | Side Brush Kit, Left                                                                                                                |
| 2.851-334.7 | Carpet Sweeping Kit (Includes Anti-Static Rolling Brush) This is a factory installed option only.                                   |
| 6.414-532.0 | Round filter - plastic filter, water-resistant, washable, saves maintenance costs. (fits previous KM 90/60 R Bp without TACT)       |
| 6.906-533.0 | Main roller brush, soft/natural - with natural bristles, ideal for sweeping fine dust on smooth surfaces both indoors and outdoors. |
| 6.906-532.0 | Hard main roller brush - for removal of stubborn dirt outdoors.                                                                     |
| 8.628-341.0 | Battery, 12V, 215 Ah, low-maintenance                                                                                               |
| 8.622-843.0 | Battery, 12V, 234 Ah, AGM                                                                                                           |
| 8.628-404.0 | Battery charger, 24V, 21A, 115V, C50, Wet/Gel. For use with 8.628-341.0                                                             |
| 8.629-377.0 | Battery charger, 24V, 25A, 115V, SB50. For use with 8.622-843.0.                                                                    |

Please contact us for more information:



1150 Davis Road, Suite J • Elgin, IL 60123

(800) 788-8867 • [info@lorchem.com](mailto:info@lorchem.com) • [www.lorchem.com](http://www.lorchem.com)

*We Know How To Get Things* **CLEAN**