

**LANDA®**

## Parts and Accessories



**Lorchem  
Technologies, Inc.**

1150 Davis Road, Suite J • Elgin, IL 60123

(800) 788-8867 • [info@lorchem.com](mailto:info@lorchem.com) • [www.lorchem.com](http://www.lorchem.com)

*We Know How To Get Things* **CLEAN**

## Molded Plastic Float Tanks

- Molded polypropylene
- 7-liter size: 13" x 5" x 6"
- 1-gallon size: 10" x 5" x 8"
- No holes for max flexibility
- 1-gallon tank has tight-fitting lid, included
- 7-liter tank lid is snap-on and sold separately



Part No	Old No	Description
<b>8.710-026.0</b>	<b>343002</b>	7-Liter Tank Only
<b>8.710-027.0</b>	<b>343003</b>	7-Liter Tank Lid
<b>8.710-028.0</b>	<b>343004P</b>	1-Gallon Tank w/ Lid

## Stainless-Steel Float Tank


- Fully welded and water tight
- 2.8-gallon capacity
- 12" x 9" x 6"
- 16 gauge #303 stainless-steel
- 1/2" full coupling (stainless-steel) inlet/outlet
- Convenient mounting tabs



Part No	Old No	Description
<b>8.710-029.0</b>	<b>343006</b>	Stainless-Steel Float Tank
<b>8.710-034.0</b>	<b>343016</b>	Stainless-Steel Lid

## Frames, Direct Drive & Belt Drive

- Heavy-duty aluminium that is more corrosion-resistant than steel
- 10" flat-free-tires for better reliability
- Integrated nozzle holders
- Available in both direct and belt-drive models



Part No	Description
<b>8.924-399.0</b>	Aluminium Frame, DD CW
<b>8.924-400.0</b>	Aluminium Frame, 270 & 390 AL DD CW
<b>8.924-402.0</b>	Aluminium Frame, BD CW
<b>8.924-401.0</b>	Aluminium Frame, BD CW 200

## Replacement Fuel Cap

- Fits 9-Gallon Diesel Fuel Tank (8.710-142.0)
- Fits Fuel Tanks (8.751-294.0, 8.751-296.0, 8.751-293.0)

Part No	Description
<b>8.751-449.0</b>	Replacement Fuel Cap for Fuel Tanks

## Fuel Tank - 9-Gallon Diesel

- Strap or bolt mount (4/5/16" inserts in bottom)
- Metal inset 3/8" inlet/return lines
- Black - crosslinked PE
- Vented fuel cap
- Filler neck doesn't extend beyond tank wall
- Compact size: 19-3/4" L x 12" W x 10-1/2" H



Part No	Old No	Description
<b>8.710-142.0</b>	<b>344735</b>	9-Gallon Fuel Tank - Plastic

NOTE: Includes fuel cap.

## Fuel Tanks



**8.751-293.0**



**8.751-294.0**

- EPA/CARB-compliant
- Seamless one-piece construction of marine grade, UV-protected polyethylene
- Built-in reserve (when gauge reads "empty", tilt to access additional fuel)
- Two-stage click when closed fuel cap
- 90° fuel withdrawal fitting
- Easy-to-read sight gauge
- Four shapes and capacities from which to choose

Part No	Gallons	Length	Width	Height
<b>8.751-294.0</b>	6	21.18"	13.5"	10"
<b>8.751-296.0</b>	12	20.375"	13.75"	14.75"
<b>8.751-293.0</b>	12	24.25"	18"	11"

## Rubber Parts



**9.802-064.0**



**9.802-066.0**



**8.706-557.0**



**9.802-067.0**



**9.802-069.0**

Part No.	Old No	Description
<b>9.802-064.0</b>	<b>859815</b>	Grommet, Nozzle Holder
<b>8.706-557.0</b>	<b>616018</b>	Bellows, Leg Boot
<b>9.802-067.0</b>	<b>830587</b>	Bumper Pad, Engine
<b>9.802-069.0</b>	<b>691877</b>	Handle Grip
<b>8.706-745.0</b>	<b>829620</b>	Plug, Hole Plastic
<b>9.803-046.0</b>	<b>784446</b>	Mount, Rubber Vibration
<b>8.706-525.0</b>	<b>891040</b>	Mount, Rubber Vibration 203/8-25 std
<b>8.706-553.0</b>	<b>891041</b>	Mount, Rubber Vibration 60 duro
<b>8.706-524.0</b>	<b>891048</b>	Mount, Rubber Vibration 1-3/8" dia x 3/4"
<b>8.706-556.0</b>	<b>891051</b>	Mount Vibration
<b>9.802-066.0</b>		Pad, Soft Rubber

## CHASSIS COMPONENTS

### Fuel Caps

- For gas or diesel fuel tanks
- Fits standard 2-1/4" fuel necks



Part No	Old No	Description
8.710-137.0	344725	Fuel Cap
8.701-700.0	091520	Fuel Cap with Gauge 10"

### Battery Boxes with Cover, Marine Style

Protect batteries on pressure washers, boats or other industrial equipment.

- Attractive molded polypropylene
- Complete with hold-down cleats and strap for cover
- Small: 8-1/2" L x 6" W x 8-1/2" H
- Large: 11-1/4" L x 7-3/4" W x 10-3/4" H



Part No	Old No	Description
9.802-090.0	306625	Small Box
9.802-075.0	306627	Large Box

### Flat-Free Tires

Flat-Free Tires provide the bounce and load handling characteristics similar to an air filled tire - with the benefit of never going flat.

Flat-Free tires are lightweight, non-marking, and come mounted on a heavy-duty steel rim with shielded ball bearings. Not for highway use.

- Heavy-duty Steel Rim
- Non-Marking
- 4" Steel Rim: Max load 300 lbs
- 12" Steel Rim: Max load 375 lbs



Part No	Description
8.711-898.0	Wheel & Tire Assembly, 4" Steel Rim
8.754-435.0	Wheel & PU Tire Assembly, 12" Steel Rim

### Plastic Dip Tube Assembly



- New style plastic dip tubes
- Rubber bushing seal ordered separately

Part No	Description
8.706-494.0	Plastic Dip Tube Assembly, 7.5" Long
8.706-495.0	Plastic Dip Tube Assembly, 12" Long
8.706-496.0	Plastic Dip Tube Assembly, 17.75" Long
9.802-053.0	Rubber Bushing, Fuel Line

### Complete Wheels



8.711-901.0



9.802-270.0



9.802-271.0



8.712-762.0

- High-quality pneumatic, and semi pneumatic
- Fits 5/8" shaft

Part No	Old No	Description
8.711-901.0	4-0304	10" Mag
9.802-270.0	4-0303	10" Steel Rim w/ Tube
8.754-435.0	4-0307	13" Steel Rim
8.712-762.0	480115	10" White steel rim, 3/4" Hub Tubeless
8.711-905.0	4-03071	6" Steel Rim Foam Filled
8.711-921.0		6" Tube Only
8.712-767.0		10" Tube Only
9.802-274.0		10" x 2-3/4" Hard Rubber Wheel
8.711-908.0		3" Gray Caster Wheel



#### Interchangeable Bearings

Part No	Old No	Description
8.700-484.0	076504	5/8" Bore Bearing
8.700-486.0	076505	3/4" Bore Bearing
8.700-485.0	076504P	5/8" Nylon Bearing

#### Hub Caps and Collars

Part No	Old No	Description
8.700-183.0	071625	3/4" Hub cap
8.700-184.0	071627	5/8" Hub cap
9.802-782.0		5/8" Bore Shaft Collar

### Miscellaneous Parts

Part No	Description
8.719-064.0	Chassis Knob 5/16" Thread, Black
9.802-066.0	Soft Rubber Foot Pad
8.932-992.0	Vibration Isolator 3/8"