


KÄRCHER

makes a difference




VACS FOR RENTAL & THE PROFESSIONAL CONTRACTOR.

High performance, self cleaning commercial vacuums.

Built to last.

High efficiency, low wear: The motor of the NT 45/1 Tact has no carbon brushes – ideal for hard and long industrial use with a life expectancy of 5,000 hours.



1 Tact system (Tact Automatic Filter Cleaning System)

- Fully automatic filter cleaning through powerful bursts of air with no loss of suction

2 Rugged and dependable commercial wet/dry vacuum

- Large rear wheels and front swivel casters for easy maneuverability.
- Metal Wand, Floor Tool, Crevice Tool, and Washable Nylon Filter are included with each NT wet/dry vacuum.
- Crush resistant hose stows conveniently on top for storage.
- Self-cleaning filter.

3 Electronic Tank level monitor

TECHNICAL DATA AND EQUIPMENT

NT 45/1 TACT

Technical data

Container capacity	gal	11.9 (45 l)
Vacuum motor	amp	8
Waterlift	in	88"
Max. power rating	W	1,265
Filtration system		TACT
Cable length	ft	25' (7.6 m)
Hose length & diameter	in	8' x 1.37" (2,438 mm x 35 mm)
Air flow rate	cfm	120
Operating noise level	dba	67
Weight	lbs	27.5 (12.5 kg)
Dimensions (L x W x H)	in	20.4" x 15" x 27" (520 mm x 380 mm x 686 mm)

Equipment

Suction hose with bend, 8' (2.5 m)	■
Suction tube, metal 2 x 1.6' (2 x 488 mm)	■
Dust bag	2-ply paper
Filter	Washable nylon filter
Wet and dry floor tool	■
Crevice tool	■
Part No.	9.802-035.0

- Included in delivery.



1150 Davis Road, Suite J • Elgin, IL 60123

(800) 788-8867 • info@lorchem.com • www.lorchem.com

We Know How To Get Things **CLEAN**