

KÄRCHER

makes a difference



VACS FOR RENTAL & THE PROFESSIONAL CONTRACTOR.

High performance, self cleaning commercial vacuums.

Standard class – high suction.

These standard class wet and dry vacuum cleaners are ideal for wet and dry vacuuming of small areas with powerful suction performance. Robust, affordable and versatile, they effortlessly pick up dirt and liquid and are ideal for contract cleaners and for use in the automotive industry.



1 Container draining

- An easily accessible drain hose enables convenient and safe container emptying.

2 Accessory storage

- Accessories can be stored at the back of the container.

3 Electronic Tank level monitor

TECHNICAL DATA AND EQUIPMENT

NT 48/1

Technical data

Container capacity	12.6 gallon (48 l)
Vacuum motor	10 AMPS
Waterlift	80"
Max. power rating	1,200 W
Filtration system	Traditional cylindrical
Cable length	25' (7.6 m)
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Air flow rate	141 cfm
Operating noise level	66 dBA
Weight	22 lbs (10 kg)
Dimensions (L x W x H)	19" x 15.4" x 30.3" (485 mm x 390 mm x 770 mm)

Equipment

Suction hose with bend, 8' (2.5 m)	■
Suction tube, metal 2 x 1.6' (2 x 488 mm)	■
Dust bag	Paper
Filter	Cylindrical dust filter
Wet and dry floor tool	■
Crevice tool	■
Part No.	9.802-034.0

- Included in delivery.



1150 Davis Road, Suite J • Elgin, IL 60123

(800) 788-8867 • info@lorchem.com • www.lorchem.com

We Know How To Get Things **CLEAN**